#### **REQUEST FOR PROPOSAL**

BID DUE DATE:	May 27, 2025	(5:00 pm MDST)
DESCRIPTION:	Invitation for Bids for Fleet vehic	cles
	BID NO. <u>25-05-3672SB</u>	
CONTACT PERSON:	Raymond Holyan, Department M Fleet Management Department Division of General Services THE NAVAJO NATION Telephone Number: (928) 871-6 Fax Number: (928) 871-7038	

#### **RETURN ALL RESPONSES TO:**

**DELIVER TO:** 

THE NAVAJO NATION Fleet Management Department Building 2749, Indian Route 100 Window Rock, Arizona 86515 ATTN: Verna S. Yazzie BID NO. **25-05-3672SB** 

OR

MAIL TO:

THE NAVAJO NATION Fleet Management Department Post Office Box 608 Window Rock, Arizona 86515 ATTN: Verna S. Yazzie BID NO. **25-05-3672SB** 

(Must identify Bid# and Company Name on the outside of a sealed envelope)

Please submit an original, and two extra (2) copies of your bid to be enclosed in <u>One</u> sealed envelope, with the following attachments: <u>2025 W-9</u>, and <u>NN Debarment form</u>. Proposals will not be accepted after deadline No facsimile, electronic or telephone proposals will be accepted Bid shall include vehicle & upfit pricing into One complete price bid

Navajo Nation Fleet Management Department follows the Navajo Nation Business Opportunity Act. https://www.nnooc.org/request-for-proposals/

#### A. <u>PURPOSE OF THIS REQUEST FOR PROPROSAL (RFP)</u>

The Navajo Nation Fleet Management Department within the Division of General Services is seeking to purchase eighteen (18) Pick-Up Trucks, the models and size of the pick-up trucks all vary (Double Cabs, Regular Cabs, Service Bodied, and Dual Wheels). The specification is attached by exhibits (A, B, C, D, & F), please review carefully. All respective auto dealers must be from an authorized and fully certified licensed automotive dealership that meets all the standards and qualifications from the vehicle manufactures in terms of facilities, equipment, parts, tools and trained technicians to handle all required services. Vehicles must be delivered in a timely manner as bid evaluation will be based on most responsive bid. Bid price shall be F.O.B. (Freight on Board) to Window Rock and to the designated delivery point at Fleet Management Department. Vehicles shall be delivered to the Navajo Nation free from any purchase money or other lien or security interest not withstanding any applicable Navajo Nation sales Tax. The manufacturer's published warranty for each vehicle shall apply to all vehicles purchased by the Fleet Management Department.

#### B. <u>CONDITIONS GOVERNING THE PROCUREMENT</u>

Bid price shall be effective on date of award and the availability of funds will determine the number of vehicles to be purchased, and <u>additional Navajo Nation procurement for like-kind and quality</u> <u>of vehicle, also qualified for bid price.</u> Fleet Management personnel will make on-site visits to either manufacturer's/bidder's facilities, as needed, to ensure compliance with specifications are met, or approve any deviations, if necessary.

Time schedule for advertisement and deadline for bid submissions will follow the chart as indicated:

Advertise Request for Proposal	DATE: May 8, 2025
Deadline for RFP Submittals	DATE: May 27, 2025
Official Opening Bid Proposals	DATE: June 2, 2025
Award Bid	DATE: June 3, 2025 (Tentatively)

The dates on the time schedule are all tentative, any changes will be at the discretion of Fleet Management Department.

The respective bidder must disclose upfit vendor, location, and pricing of all upfit parts and installation fees. Schematics of wiring diagram shall be submitted once bidder is identified. Pricing of the upfit should match the specification/price sheet on exhibit A.

A selection criterion will be used to determine an adequate responsive bidder and they are as follows:

Criteria	Weighted Points
Responsiveness/Complete Bid Submission	5 POINTS
Pricing	5 POINTS
Specification	<b>5 POINTS</b>
Vehicle Availability	5 POINTS
Total	20 POINTS

The respective bidder shall include the Navajo Nation Sales Tax, 6% on all goods and services pertaining to this proposal, Navajo Nation sales tax (6%) [24 NNC § 601et seg.]. For more information or specific questions regarding the applicable sales tax, please contact the Office of the Navajo Tax Commission, Compliance Department at 928-871-6681.

Fleet reserves the right to reject any and all proposals.

All upfit personnel must be EVT (Emergency Vehicle Technician) certified to perform emergency equipment installation and repairs.

The Navajo Nation Fleet Management will receive, at time of delivery of vehicles, all pertinent documents necessary for titling and licensing vehicles, documents include Manufacturer's Statement of Origin, Odometer statement. Provide schematics of the upfit. Only Fleet Management will be responsible for registering all vehicles through the Navajo Nation Property Management Department.

The Navajo Nation is a sovereign government and all contracts entered because of the RFP shall comply with the Navajo Nation Laws, rules and regulations, Navajo Business Opportunity Act and including the Navajo Preference in Employment Act, and applicable federal law, rules, and regulations.

#### C. <u>SPECIFICATIONS</u>

See the following attachments (exhibit A – 2500HD 4WD Double Cab 149" Work Truck), (exhibit B – 2500HD 4WD Regular Cab 142" Work Truck), (exhibit C – 1500 4WD Double Cab 147" Work Truck), (exhibit D – 2500HD 4WD Regular Cab 142" Service Body Work Truck), and (exhibit F – 3500HD 4WD Regular Cab 142" Dual Rear Wheels Work Truck) for specifications for each class of vehicle and quantity required, including any additional not included in exhibits. Bid price must meet minimum specification or exceed minimum specifications. Bid must note any exceptions.

# FLEET MANAGEMENT DEPARTMENT Vehicle Acquisition

Bid Number: 25-05-3672SB

## 2025/2026 Vehicle Specifications

Vehicle <u>Class</u>		Description	<u>Quantity</u>
IV	2025/2026	2500HD 4WD Double Cab 149" Work Truck CK20753 Model or Equal	8
IV	2025/2026	2500HD 4WD Regular Cab 142" Work Truck CK20903 Model or Equal	4
Ш	2025/2026	1500 4WD Double Cab 147" Work Truck CK10753 Model or Equal	2
IV	2025/2026	2500HD 4WD Regular Cab 142" Work Truck Serviced Bodied Truck CK20903 Model or Equal	3
v	2025/2026	3500HD 4WD Regular Cab 142" Work Truck Dual Rear Wheels Truck CK30903 Model or Equal	1
		Total:	18

## 2025/2026 2500HD 4WD Double Cab 149" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Durabed, pickup bed			
Engine - 6.6L V8 w/ Direct Injection and Variable Valve Timing,			
gasoline, (401 hp@5200 rpm, 464 lbft of torque @ 4000 rpm (STD)			
Transmission, Allison 10-speed automatic			
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.			
GVWR, 10,350 lbs. (4695 kg) (STD) (Included and only available with			
CK20753 and (L8T) 6.6L V8 gas engine			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls		-	
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance			
Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed			
stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine			
Exhaust, single, side			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition			
and door			
Paint Color - Summit White			
Bumpers, front, Black			
Bumpers, rear, Black			
Corner Step, rear bumper			
Bed Step, Black integrated on forward portion of bed on driver and			
passenger side			
Moldings, beltline, Black			
Cargo tie downs (12), fixed rated at 500 lbs. per corner	-		
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			

## 2025/2026 2500HD 4WD Double Cab 149" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Lamps, cargo area, cab mounted integrated with center high mount		, this was a	
stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside heated power-adjustable, manual folding (passenger			
mirror includes flat glass, not convex) smaller non-trailer mirror, 11.2			
" x 7.15" WT convenience package			
Mirror caps, Black			
Glass, deep-tinted (Include with (PCV) WT convenience package.)			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, gate function manual, with EZ Lift includes power lock			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and			
under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD			
color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2			
active devices, voice command pass-through to phone, Wireless			
Apple CarPlay and Wireless Android Auto compatibility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child			
seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Floor covering, color-keyed carpeting			
LPO, all-weather floor liners 1st and 2nd rows on double cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security			
feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level,			
engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Windows, power rear, express down			
Defogger, rear window electric			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel			
mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			

## 2025/2026 2500HD 4WD Double Cab 149" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Air vents, rear, heating/cooling			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-			
pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and			
traction control, includes electronic trailer sway control and hill start		1	
assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard			
passenger; Seat-mounted side-impact airbags Includes front outboard			
Passenger Sensing System for frontal outboard passenger airbag			
(Always use seat belts and child restraints. Children are safer when			
properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for			
hitching			
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Seat Belt Adju stable Guide Loops, front row only (Included and only	1.		
available on Crew Cab and Double Cab models.)	1.1.		
Buckle to Drive prevents vehicle from being shifted out of Park until			
driver seat bealt is fastened; times out after 20 seconds and encourages			
seat belt use, can be turned on and off in Settings menu			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Tire Pressure Monitoring System			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with			
core OnStar services including remote commands, built-in voice			
assistance, real-time traffic and navigation, and Automatic Crash			
Response to help if you're in need. (OnStar Basic; includes remote			
commands, Navigation, Voice Assistance, and Automatic Crash			
Response, for eligible vehicles with compatible sofMare. For MY25			
vehicles, 0nSt ar Basics is standard for 8 years; OnStar plan, working			
electrical system, cell reception and GPS signal required. OnStar links			
to emergency services. Service coverage varies with conditions and			
location. Service availability, features and functionality vary by device	1		
and software version. See onstar.com for details and limitations.)			

## 2025/2026 2500HD 4WD Double Cab 149" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: S			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec:	Qty.: 8	Unit Price:	Upfit Price:	Total Tax \$	Total \$	Approximate Delivery	Date
----------------------	---------	-------------	--------------	--------------	----------	----------------------	------

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

MECHANICAL       Image: Character of the second secon	Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
jasoline. (Add the J294 KMJ @ 5200 rpm, 464 lb for droque [528 - Hr.[4 400 rpm] (510) Transmission, Allicon 10-Speed automatic (510) [Standard with (637) 6.1 KJ & gas engine.) Rear aute, 3.73 ratio [Requires (137) 6.6. VF gas engine (KVKF), 10,250 Lb. (4549 gls 157) (Included and only available with (C20503 model and (137) 6.4. VF gas engine with 17" wheek.) Publis Button Start Transfer case, two-speed decironic shift with publis button controls (Requires 4VD models.) Auto-locating rear differential Cooling, audiary careful and controls (Cooling, audiary careful and controls of the with publis button controls (Requires 4VD models.) Auto-locating rear differential Cooling, audiary careful and controls (Cooling, audiary careful and controls of the with publis button controls (Requires 4VD models.) Auto-locating rear differential Cooling, audiary careful and controls of the with publis button controls (Requires 4VD models.) Auto-locating rear differential Cooling, audiary careful and auto- Cooling, audiary careful and controls of the with rubin button controls (Requires 4VD models.) Auto-locating rear differential Cooling, audiary controls on all a fully-boxed Auto-locating and careful and controls of the with rubin button controls (Requires 4VD models.) Auto-locating and careful and controls of the section and a fully-boxed (Starter 4) fundom front section and a fully fundom front section and a fully-boxed (Starter 4)	MECHANICAL			
(63) 8-m[19] 4000 rpm (STD)	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing,			
Transmission, Allicon 10-Speed automatic (STD) (Standard with (LST) 61.04 gas engine) Rear acks, 373 ratio (Requires (LST) 65.04 gas engine WWR, 10,250 bc, 104 gas engine with 17" wheels.) Darb Button Start Arr filter, howy-duty Arr filter, howy-duty Arr filter atom monitoring Transfer Start, we speed electronic shift with push button controls Reguires 4WD models.) Auto-localing rear differential Four wheel drive Cooling, audiary stream Transmission of cooler Cooling, audiary stream Transmission of cooler Cooling audiary stream Transmission of cooler Cooling, audiary stream Transmission of cooler Cooling audiary stream Transmission of cooler	gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lbft of torque			
64. US gas engine.) <ul> <li>(64. US gas engine.)</li> <li>(77. US gas engine</li></ul>	[629 N-m]@ 4000 rpm) (STD)			
Rear axis, 373 ratio (Requires (LST) 6.6 LV 8gas engine          CX20005 model and (LST) 6.6 LV 8gas engine with 1/7 wheels.)          Darb Button Start          Arr filter, heavy-duty          Arr filter, heavy-duty <td>Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T)</td> <td></td> <td></td> <td></td>	Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T)			
GVWP, 10,2501bs. (4648 gg (STD) [Included and only available with C20005 model and (STI) 6.4 V8 ggs engine with J.7" wheels.)          Push Button Start          Ari filter, havy-duty          Atta-locking rear differential          Cooling, auding vestmal transmission oil cooler          Carlier starting free oils cooler          Cooling, auding vestmal transmission oil cooler          Battery, heavy-duty 720 colic-ranking ampx80 Amp-hr. maintenance-          free with rundow protection and related accessory power          Alternator, 170 amps          Table brake controller, integrated          Franse, fully-boxed, hydroformed front section and a fully-boxed          Steering, Recirculating Bal with smart flow power steering system          Greass, Steel eiget with DUSALIFETODS <t< td=""><td>6.6L V8 gas engine.)</td><td></td><td></td><td></td></t<>	6.6L V8 gas engine.)			
Ck20000 model and (L8T) G4. V8 gas engine with 1,7" wheels.)       Image: Ck20000 model and (L8T) G4. V8 gas engine with 1,7" wheels.)         Arr filter, haaw-duty       Image: Ck2000 model and the temp of temp	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine			
Public Burton Start         Image: Start	GVWR, 10,250 lbs. (4649 kg) (STD) (Included and only available with			
Air filter, heavy-duty     Image: Control of the system of t	CK20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)	1.1.1.1.1.1		
Air filtration monitoring     Image: State State, State State, State State State, State State, State State, S	Push Button Start			
Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)       (Requires 4WD models.)         Auto-locking rear differential       (Requires 4WD models.)         Four wheel drive       (Requires 4WD models.)         Cooling, auxiliary external transmission oil cooler       (Requires 4WD models.)         Battery, heavy-duty 720 cold-cnaining amps/80 Amp-hr. maintenance- free with fund/own protection and retained accessory power       (Requires 4WD models.)         Alternators, 170 amps       (Requires 4WD models.)       (Requires 4WD models.)         Trailer brake controller, integrated       (Requires 4WD models.)       (Requires 4WD models.)         Frame, fully-boxed, hydroformed front section and a fully-boxed       (Requires 4WD models.)       (Requires 4WD models.)         Steering, Recirculating Bal with smart flow power steering system       (Requires 4WD models.)       (Requires 4WD models.)         Steering, Recirculating Bal with smart flow power steering system       (Requires 4WD models.)       (Requires 4WD models.)         Steering, Recirculating Bal with smart flow power steering system       (Requires 4WD models.)       (Requires 4WD models.)         Steering, Recirculating Bal with smart flow power steering system       (Requires 4WD models.)       (Requires 4WD models.)         Steering, Recirculating Bal with smart flow power steering system       (Requires 4WD models.)       (Requires 4WD models.)         Traba	Air filter, heavy-duty			
(Requires 4WD models.)       Image: Constraint of the second	Air filtration monitoring			
Auto-locking rear differential       Image: Color	Transfer case, two-speed electronic shift with push button controls			
Four wheel drive       Image: Sternal engine oil cooler         Cooling, external engine oil cooler       Image: Sternal engine oil cooler         Callary, external transmission oil cooler       Image: Sternal engine oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance- free with rundown protection and retained accessory power       Image: Sternal engine oil cooler         Alternator, 170 amps       Image: Sternal engine oil cooler       Image: Sternal engine oil cooler         Trailer brake controller, integrated       Image: Sternal engine oil cooler       Image: Sternal engine oil cooler         Stapender ear section       Recovery looks, front, frame-mounted, Black       Image: Sternal engine oil cooler         Suspension Package       Image: Sternal engine oil cooler engine en	(Requires 4WD models.)			
Cooling, esternal engine oil cooler       Image: Sternal engine oil cooler         Cooling, axuiliary external transmission oil cooler       Image: Sternal engine oil cooler         Battery, heav-duty 720 coil-cranking amps/80 Amp-hr. maintenance- free with rundown protection and retained accessory power       Image: Sternal engine oil cooler         Trailer brake controller, integrated       Image: Sternal engine oil cooler         Trailer brake controller, integrated       Image: Sternal engine oil cooler         Trailer brake controller, integrated       Image: Sternal engine oil cooler         Recovery hooks, front, frame-mounted, Black       Image: Sternal engine oil cooler         Suspension Package       Image: Sternal engine oil cooler         Sterning, Recirculating Ball with smart flow power steering system       Image: Sternal engine oil cooler         Grakes, A-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Sternal engine oil cooler         Grake lining wear indicator       Image: Sternal engine oil cooler         Capless Fuel Fill (Requires (LBT) 6.6 LVB gas engine. Not available with (ZWB) pickup bed oelete.)       Image: Sternal engine oil cooler         ENTERION       Image: Sternal engine oil cooler       Image: Sternal engine oil cooler         Wheels, 127 (43.2 cm) painted steel, Silver (STD)       Image: Sternal engine oil cooler       Image: Sternal engine oil cooler         Tree carrier lock keyed oifInder lock that utilizes same key as ignition	Auto-locking rear differential			
Cooling, auxiliary external transmission oil cooler       Image: Cooler Co				
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-	Cooling, external engine oil cooler			
free with rundown protection and retained accessory power       Image: State Controller, integrated         Alternator, 170 anps       Image: State Disclosed, hydroformed front section and a fully-boxed         Frame, fully-boxed, hydroformed front section and a fully-boxed       Image: State Disclosed, front, frame-mounted, Black         Suspension Package       Image: State Disclosed, front, frame-mounted, Black       Image: State Disclosed, front, frame-mounted, Black         Steering, Recirculating Ball with smart flow power steering system       Image: State Disclosed, front, frame-mounted, Black         Steering, Recirculating Ball with smart flow power steering system       Image: State Disclosed, front, frame-mounted, Black         Steering, Recirculating Ball with smart flow power steering system       Image: State Disclosed, front, frame-mounted, Black         Steering, Recirculating Ball with smart flow power steering system       Image: State Disclosed, frame-mounted, Black         Gapless Fuel Fiel (Requires (LBT) 6.6 LVB gas engine. Not available with       Image: State Disclosed, frame-mounted, Black         Caybers Fuel Fiel (Requires (LBT) 6.6 LVB gas engine. Not available with       Image: State Disclosed, frame-mounted, Black         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: State Disclosed, frame-mounted, Black         Tree, space LIZES/70R37E all-terrain, blackwall (STD)       Image: State Disclosed, frame-mounted, Black         Durabed, pickup bed (STD)       Image: State Disclosed, frame-mounted, Black	Cooling, auxiliary external transmission oil cooler			
Atterator, 170 amps       Image: Second	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-			
Trailer brake controller, integrated       Image frase section         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section       Image frase section         Recovery hooks, front, frame-mounted, Black       Image frase section         Suspension Package       Image frase section         Steering, Recirculating Ball with smart flow power steering system       Image frase section         Brake, 4-wheel attituck, 4-wheel disc with DURALIFE rotors       Image frase section         Brake fining wear indicator       Image frase section         Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with       Image frase section         (ZW9) pickup bed delete.)       Image frase section         Exhaust, single, side       Image frase section         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image frase section         Tires, pare LT265/70R17E all-terrain, blackwall (STD)       Image frase section         Tires, capaer LT265/70R17E all-terrain, blackwall (STD)       Image frase section         Durabed, pickup bed (STD)       Image frase section         Paint Color - Summit White       Image section         Bumpers, front, Black       Images section         Bumpers, frase, Black       Images section         Biel Steep, Black integrated on forward portion of bed on driver and passenger side       Images section	free with rundown protection and retained accessory power			
Frame, fully-boxed, hydroformed front section and a fully-boxed       Image: Section         stamped rear section       Recovery hooks, front, frame-mounted, Black         Suspension Package       Image: Section         Steering, Recirculating Ball with smart flow power steering system       Image: Section         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Section         Brake lining wear indicator       Image: Section         Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup bed delete.)       Image: Section         Exhaust, single, side       Image: Section         EXTERIOR       Image: Section         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Section         Tires, L17265/70R17E all-terrain, blackwall (STD)       Image: Section         Durabed, pickup bed (STD)       Image: Section         Durabed, pickup bed (STD)       Image: Section         Durabed, pickup bed (STD)       Image: Section         Bumpers, front, Black       Image: Section         Bumpers, freat bumper       Image: Section         Bed Stee, Black Integrated on forward portion of bed on driver and passenger side	Alternator, 170 amps			
stamped rear section     Image: stamped rear section       Recovery hooks, front, frame-mounted, Black     Image: stamped rear section       Steering, Recirculating Ball with smart flow power steering system     Image: stamped rear section       Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors     Image: stamped rear section       Brake lining wear indicator     Image: stamped rear section       Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (2W9) pickup bed delete.)     Image: stamped rear section       Exhaust, single, side     Image: stamped rear section     Image: stamped rear section       Wheels, 17" (43.2 cm) painted steel, Silver (STD)     Image: stamped rear section     Image: stamped rear section       Tires, LT265/70R17E all-terrain, blackwall (STD)     Image: stamped rear section     Image: stamped rear section       Durabed, pickup bed (STD)     Image: stamped rear section     Image: stamped rear section       Durabed, pickup bed (STD)     Image: stamped rear section     Image: stamped rear section       Bumpers, front, Black     Image: stamped rear section     Image: stamped rear section       Bumpers, front, Black     Image: stamped rear section     Image: stamped rear section       Bumpers, front, Black     Image: stamped rear section     Image: stamped rear section       Bumpers, front, Black     Image: stamped rear section     Image: stamped rear section       Bumpers, front, Black     Image: sta	Trailer brake controller, integrated			
Recovery hooks, front, frame-mounted, Black	Frame, fully-boxed, hydroformed front section and a fully-boxed			
Suspension Package       Image: Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Steering System         Brake lining wear indicator       Image: Steering System         Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup bed delete.)       Image: Steering System         Exhaust , single, side       Image: Steering System       Image: Steering System         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Steering System System       Image: Steering System System         Tires, spare LT265/70R17E all-terrain, blackwall (STD)       Image: Steering System System System       Image: Steering System System System         Durabed, pickup bed (STD)       Image: Steering System Sys	stamped rear section			
Steering, Recirculating Ball with smart flow power steering system       Image: Steering and Steering System         Brake, 4-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Steering System         Brake lining wear indicator       Image: Steering System         Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup bed delete.)       Image: Steering System         Exhaust, single, side       Image: Steering System         EXTERIOR       Image: Steering System         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Steering System         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: Steering System         Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door       Image: Steering System         Durabed, pickup bed (STD)       Image: Steering System       Image: Steering System         Bumpers, front, Black       Image: Steering System       Image: Steering System         Bumpers, front, Black       Image: Steering System       Image: Steering System         Steering Steering System       Image: Steering System       Image: Steering System         Steering Steering System       Image: Steering System       Image: Steering System         Steering Steering System       Image: Steering System       Image: Steering System       Image: Steering System         Steering Steering Steering System       <	Recovery hooks, front, frame-mounted, Black			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Stel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)         Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)       Image: Stel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)         Exhaust , single, side       Image: Stel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)         Exhaust , single, side       Image: Stel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)         Exhaust , single, side       Image: Stel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup set (STD)         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: Stel T265/70R17E all-terrain, blackwall (STD)         Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door       Image: Stel (STD)         Durabed, pickup bed (STD)       Image: Stel (STD)         Paint Color - Summit White       Image: Stel (STD)         Bumpers, front, Black       Image: Stel (STD)         Bumpers, rear, Black       Image: Stel (STD)         Corner Step, rear bumper       Image: Stel (STD)         Fied Step, Black integrated on forward portion of bed on driver and passenger side       Image: Stel (STD)	Suspension Package			
Brake lining wear indicator       Image: Steel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZVV9) pickup bed delete.)         Exhaust , single, side       Image: Steel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZVV9) pickup bed delete.)         Exhaust , single, side       Image: Steel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZVV9) pickup bed delete.)         Exhaust , single, side       Image: Steel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZVV9) pickup bed delete.)         Exhaust , single, side       Image: Steel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZVV9) pickup bed (STD)         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: Steel Fill (Steel Fill (Steel Steel St				
Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZV9) pickup bed delete.)	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
(ZW9) pickup bed delete.)       Image: side         Exhaust, single, side       Image: side         EXTERIOR       Image: side         VNheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: side         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: side         Tire, spare LT265/70R17E all-terrain, blackwall (STD)       Image: side         Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door       Image: side         Durabed, pickup bed (STD)       Image: side         Bumpers, front, Black       Image: side         Bumpers, rear, Black       Image: side         Corner Step, rear bumper       Image: side         Eied Step, Black integrated on forward portion of bed on driver and passenger side       Image: side	Brake lining wear indicator			
Exhaust, single, side       Image: side         EXTERIOR       Image: side         VMeels, 17" (43.2 cm) painted steel, Silver (STD)       Image: side         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: side         Tire, spare LT265/70R17E all-terrain, blackwall (STD)       Image: side         Tire carrier lock keyed cylinder lock that utilizes same key as ignition       Image: side         Durabed, pickup bed (STD)       Image: side         Paint Color - Summit White       Image: side         Bumpers, front, Black       Image: side         Corner Step, rear, Black       Image: side         Eied Step, Black integrated on forward portion of bed on driver and passenger side       Image: side	Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with			
EXTERIOR       Image: Constraint of the cons	(ZW9) pickup bed delete.)			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Silver (STD)         Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: Silver (STD)         Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door       Image: Silver (STD)         Durabed, pickup bed (STD)       Image: Silver (STD)         Paint Color - Summit White       Image: Silver (STD)         Bumpers, front, Black       Image: Silver (Step, Pack Silver (Step)         Bumpers, rear, Black       Image: Silver (Step, Pack Silver (Step)         Eed Step, Black integrated on forward portion of bed on driver and passenger side       Image: Silver (Step)	Exhaust, single, side			
Tires, LT265/70R17E all-terrain, blackwall (STD)       Image: Steps and Step	EXTERIOR			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Durabed, pickup bed (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Paint Color - Summit White       Image: spare LT265/70R17E all-terrain, blackwall (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Bumpers, front, Black       Image: spare LT265/70R17E all-terrain, blackwall (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Bumpers, rear, Black       Image: spare LT265/70R17E all-terrain, blackwall (STD)       Image: spare LT265/70R17E all-terrain, blackwall (STD)         Eled Step, Black integrated on forward portion of bed on driver and passenger side       Image: spare LT265/70R17E all-terrain (STC)	Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition       and door         and door       Durabed, pickup bed (STD)         Durabed, pickup bed (STD)       Image: Color - Summit White         Paint Color - Summit White       Image: Color - Summit White         Bumpers, front, Black       Image: Color - Step, rear, Black         Corner Step, rear bumper       Image: Color - Step, rear bumper         Eled Step, Black integrated on forward portion of bed on driver and passenger side       Image: Color - Step, rear bumper	Tires, LT265/70R17E all-terrain, blackwall (STD)			
and door       Image: Constraint of the cons	Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Durabed, pickup bed (STD)       Image: Color - Summit White         Paint Color - Summit White       Image: Color - Summit White         Bumpers, front, Black       Image: Color - Summit White         Bumpers, rear, Black       Image: Color - Summer         Corner Step, rear bumper       Image: Color - Summer         Eled Step, Black integrated on forward portion of bed on driver and passenger side       Image: Color - Summer	Tire carrier lock keyed cylinder lock that utilizes same key as ignition			
Paint Color - Summit White       Image: Color - Summit White         Bumpers, front, Black       Image: Color - Summit White         Bumpers, rear, Black       Image: Color - Summit White         Corner Step, rear bumper       Image: Color - Summit White         Eled Step, Black integrated on forward portion of bed on driver and passenger side       Image: Color - Summit White	and door			
Bumpers, front, Black       Image: Compers, rear, Black         Eumpers, rear, Black       Image: Comperstep, rear bumper         Corner Step, rear bumper       Image: Comperstep, rear bumper         Eled Step, Black integrated on forward portion of bed on driver and passenger side       Image: Comperstep, rear bumper	Durabed, pickup bed (STD)			
Elumpers, rear, Black     Image: Corner Step, rear bumper       Corner Step, rear bumper     Image: Corner Step, rear bumper       Eled Step, Black integrated on forward portion of bed on driver and passenger side     Image: Corner Step, rear bumper				
Elumpers, rear, Black     Image: Corner Step, rear bumper       Corner Step, rear bumper     Image: Corner Step, rear bumper       Eled Step, Black integrated on forward portion of bed on driver and passenger side     Image: Corner Step, rear bumper	Bumpers, front, Black			
Eled Step, Black integrated on forward portion of bed on driver and passenger side				
passenger side				
Moldings, beltline, Black				
	Moldings, beltline, Black			

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Cargo tie downs (12), fixed rated at 500 lbs. per corner			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount			
stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailering with heated			
upper glass, lower convex mirrors, integrated turn signals, manual			
folding/extending			
Mirror caps, Black			
Glass, deep-tinted			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, EZ Lift power lock and release tailgate			
Trailering Package includes trailer hitch, 7-pin connector and (CTT)			
Hitch Guidance	· · · · · · · · · · · · · · · · · · ·		
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and			
under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD			
color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2			
active devices, voice command pass-through to phone, Wireless			
Apple CarPlay and Wireless Android Auto compatibility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			
LPO, All-weather floor liners 1st row only on Regular Cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security			
feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level,			
engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster		-	
Tinted windows and rear-window defogger			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel			
mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			
Air vents, rear, heating/cooling			
Trailering mirrors			
Mirror, inside rearview, manual tilt		· · · · · · · · · · · · · · · · · · ·	
Assist handles front A-pillar mounted for driver and passenger, rear B-			
pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and			
traction control, includes electronic trailer sway control and hill start			
assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard			
passenger; Seat-mounted side-impact airbags Includes front outboard			
Passenger Sensing System for frontal outboard passenger airbag			
(Always use seat belts and child restraints. Children are safer when			
properly secured in a rear seat in the appropriate child restraint.			the second se
OnStar Services capable			
HD Rear Vision Camera		- PAR A. I	
Hitch Guidance dynamic single line to aid in trailer alignment for			
hitching	· · · · · · · · · · · · · · · · · · ·		
Lane Departure Warning			
Following Distance Indicator		ALCONTRACTOR OF	
Forward Collision Alert			and the second sec
Buckle to Drive prevents vehicle from being shifted out of Park until			
driver seat belt is fastened; times out after 20 seconds and encourages			
seat belt use, can be turned on and off in Settings menu			
Tire Pressure Monitoring System			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with	· · · · · ·		
core OnStar services including remote commands, built-in voice			
assistance, real-time traffic and navigation, and Automatic Crash			
Response to help if you're in need. (OnStar Basics includes remote			
commands, Navigation, Voice Assistance, and Automatic Crash			
Response, for eligible vehicles with compatible sofMare. For MY25			
vehicles, OnStar Basics is standard for 8 years; OnStar plan, working			
electrical system, cell reception and GPS signal required. OnStar links			
to emergency services. Service coverage varies with conditions and			
location. Service availability, features and functionality vary by device			
and software version. See onstar.com for details and limitations.)			

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec:	_ Qty.:_ 4_	Unit Price:	Upfit Price:	Total Tax \$	Total \$	Approximate Delivery	Date
----------------------	-------------	-------------	--------------	--------------	----------	----------------------	------

#### Class III

## 2025/2026 1500 4WD Double Cab 147" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Durabed, pickup bed			
Engine, 5.3L EcoTec3 V8 (355 hp [265 kW]@ 5600 rpm, 383 lbft of			
torque [518 Nm] @4100 rpm); featuring available Dynamic			
Fuel Management that enables the engine to operate in 17 different			
patterns between 2 and 8 cylinders, depending on demand, to			
optimize power delivery and efficiency			
Transmission, 10-speed automatic, electronically controlled with			en and the second se
overdrive and tow/haul mode. Includes Cruise Grade Braking and			
Powertrain Grade Braking			
Rear axle, 3.23 ratio			
GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab or Double Cab 4WD			
model and (L3B) TurboMax engine. Requires Double Cab 4WD model			
and (L84) 5.3L EcoTec3 VB engine.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, single-speed electronic autotrac with push button			
controls			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr. maintenance			
Alternator, 220 amps			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section			
Auto-locking rear differential			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Electric Power Steering assist, rack and pinion			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless Fuel Fill			
Exhaust, single, side			
EXTERIOR			
Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition			
and door			
Paint Color - Summit White			
Bumpers, front, Black			
Bumpers, rear, Black			
Corner Step, rear bumper			

#### Class III

## 2025/2026 1500 4WD Double Cab 147" Work Truck

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Bed Step, Black integrated on forward portion of bed on driver and			
passenger side			
Moldings, beltline, Black			
Cargo tie downs (12), fixed rated at 500 lbs. per corner			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights		_	
Lamps, cargo area, cab mounted integrated with center high mount			
stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside heated power-adjustable, manual folding (passenger			
mirror includes flat glass, not convex) smaller non-trailer mirror, 11.2			
" x 7.15" WT convenience package			
Mirror caps, Black			
Glass, deep-tinted (Include with (PCV) WT convenience package.)			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, gate function manual, with EZ Lift includes power lock			
Door handles, Black			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and			
under-seat storage (lockable) (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child			
seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD			
color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2			
active devices, voice command pass-through to phone, Wireless			
Apple CarPlay and Wireless Android Auto compatibility (STD)		and the second sec	
Audio system feature, 6 speaker system			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child			
seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Floor covering, color-keyed carpeting			
LPO, all-weather floor liners 1st and 2nd rows on double cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security			
feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level,			
engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			

#### Class III

## 2025/2026 1500 4WD Double Cab 147" Work Truck

## CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Compass located in instrument cluster			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Windows, power rear, express down			
Defogger, rear window electric			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel			
mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone-zone manual			
Air vents, rear, heating/cooling			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-			
pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and			
traction control, includes electronic trailer sway control and hill start			
assist			
SAFE TY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard			
passenger; Seat-mounted side-impact airbags Includes front outboard			
Passenger Sensing System for frontal outboard passenger airbag			
(Always use seat belts and child restraints. Children are safer when			
properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for			
hitching			
Trailering Package includes trailer hitch, 7-pin and 4-pin connectors			
Lane Departure Warning			
Following Distance Indicator		P.0.00	
Forward Collision Alert			
Seat Belt Adjustable Guide Loops, front row only (included and only			
available on Crew Cab and Double Cab models.)			

Exhibit C

#### Class III 2025/2026 1500 4WD Double Cab 147" Work Truck CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Buckle to Drive prevents vehicle from being shifted out of Park until			
driver seat belt is fastened; times out after 20 seconds and encourages			
seat belt use, can be turned on and off in Settings menu			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Rear Seat Belt Indicator (R quires Crew Cab or Double Cab model.)			
Tire Pressure Monitoring System, auto learn includes Tire Fill Alert			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with			
core OnStar services including remote commands, built-in voice			
assistance, real-time traffic and navigation, and Automatic Crash			
Response to help if you're in need. (OnStar Basics includes remote			
commands, Navigation, Voice Assistance, and Automatic Crash			
Response, for eligible vehicles with compatible sofMare. For MY25	- 1		
vehicles, OnStar Basics is standard for 8 years; OnStar plan, working			
electrical system, cell reception and GPS signal required. OnStar links			
to emergency services. Service coverage varies with conditions and			
location. Service availability, features and functionality vary by device			
and software version. See onstar.com for details and limitations.)			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6		A	
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: \_\_\_\_\_ Qty.: 2 Unit Price: \_\_\_\_\_ Upfit Price: \_\_\_\_\_ Total Tax \$\_\_\_\_\_ Total \$\_\_\_\_\_ Approximate Delivery \_\_\_\_\_ Date

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

#### Serviced Bodied Truck CK20903 Model or Equal

MECHANICAL         Image: 68.1% With Direct Injection and Variable Valve Timing, gasoline, 10(1). In (259 kW) @ 5200 rpm, 644 lb. At of torque         Image: 68.1% @ as regime.           (51 VB as regime.)         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (51 VB as regime.)         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW, 10.250 lb. KV @ gas engine.         Image: 68.1% @ as regime.         Image: 68.1% @ as regime.           (52 VW) 10.250 lb. VV @ regime.         Image: 68.1% @ regime.         Image: 68.1% @ regime.           (52 VW) 10.25 VW @ regime.         Image: 68.1% @ regime.         Image: 68.1% @ regime.           (52 VW) 10.25 VW @ regime.         Image: 68.1% @ regime.         Image: 68.1% @ regime.	Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Engine, St. V9 with Direct Injection and Variable Valve Timing, gasoline, (uch Lp (1994 Wd) 9 2000 mm, (STD)	MECHANICAL			
jasoline, (d01: hp (295 kW) # 9500 rpm, 454 b.: A for broque (297 km) # 9500 rpm (510) Transmission, Alison 10-Speed automatic (STP) (Standard with (L8T) 65. UV gas engine). Rear axie 3.73 ratio (Requires (L8T) 65. UV gas engine WWR, 10,230 b.: (464 Stag (ST) (Diculade and only available with CC20003 model and (L8T) 65. UV gas engine with 17' wheels.) Arr filter, nonroforing Transmission and controls (Requires (L8T) 65. UV gas engine with 17' wheels.) Arr filter, nonroforing Transmission and controls (Requires (L8T) 65. UV gas engine with 17' wheels.) Arr filter nonroforing Transmission and controls (Requires (L8T) 65. UV gas engine with 17' wheels.) Arr filter nonroforing Transmission and controls (Requires (L8T) 65. UV gas engine with 17' wheels.) Arr filter nonroforing Transmission and conter Cooling, unality are transmission and cooler Cooling, unality are transmission and cooler Cooling, unality are transmission and cooler Cooling, unality are transmission and fully-based stamped rear section Recoverphocies, front, frame-mounted, Black Steering, Recirculating Bal with smart from power steering system Brakes, where and transmission and fully-based stamped rear section Recoverphocies, front, frame-mounted, Black Steering, Recirculating Bal with smart flow power steering system Brakes, where and transmission and fully-based Steering, Recirculating Bal with smart flow power steering system Brakes, where and transmission and fully-based Steering, Recirculating Bal with smart flow power steering system Brakes, where and transmission and fully-based Steering, Recirculating Bal with smart flow power steering system Brakes, where and transmission and fully-based Steering, Recirculating Bal with smart flow power steering system Brakes, where and the steps for trus delete and spret tre carried et et as (L8, EV eng) State and and and trus wheels.) EVTERION Wrakes, 207 (R1, 21 em learner), Blackwall (STD) Tre ex, strate, State Bal Bal and 17' wheels.) EVTERION Wrakes, 207 (R1, 2				
(63 8 - Mi) # 4000 rpm (510)				
Transmission, Allison 10.5 gened automatic (STD (Standard with (LBT) 6.8.1 & gas engine). Rear axis 2.37 artio (Requires (LBT) 6.6.1 V gas engine (WWR, 10.250 Ex. (G465 kg) (STD (Includes and only available with CL20030 model and (LBT) 6.6.1 V gas engine with 1.7" wheels.) Publ Button 5320 Art filter, hoary-duty Art filter, hoary-dut				
64. U 3gs engine.)       Image: Second				
Rear axis 23 73 ratio (Requires (LBT) 6.6. V8 gas engine       Image: Comparison of the comparison				
GVWR, 10,250 lbc, (464 §L) (STD) (included and only available with C20030 model and (SIT) 66. V8 gas engine with 17" wheels.)          Push Button Start          Aff filter, nain-pointoring          Aff filter, nain-pointoring          Cooling, using any other than the start of				
Pauls Button Start         Image: Control Start           Arr fifter, navy-duty         Image: Control Start           Arr fifter, navy-duty         Image: Control Start           Requires 44W models.)         Image: Control Start           Auto-Tocking: rear differential         Image: Control Start           Four wheel drive         Image: Control Start           Cooling, cutting: and engine of cooler         Image: Control Start           Cooling, cutting: any Start Arrain engine of cooler         Image: Control Start           Cooling, cutting: any Start Arrainstasion of cooler         Image: Control Start           Cooling, cutting: any Start Arrainstasion of cooler         Image: Control Start           Cooling, cutting: any Start Arrainstasion of cooler         Image: Control Start           Cooling, cutting: any Start Arrainstasion of cooler         Image: Control Start           Cooling, cutting: any Start Arrain         Image: Control Start           Alternation: To anys         Image: Control Start           Trailer Vakic controller, intergrated         Image: Control Start           Stareprint Pack Coler         Image: Control Start           St				
Air filter, isasy-duty Air filter, isasy-duty Air filteration nonitoring Transfer.case, two-speed electronic shift with push button controls (Requires 4W0 models.) Air folters 4W0 models.) Air folters 4W0 models.) Cooling, external engine of cooler Cooling, external engine Cooling, ext				
Air filtration nointoring       Image: Second	Push Button Start			
Transfer case, two-speed electronic shift with push button controls         (Requires 4WD models.)         Auto-locking rear differential         Four wheel drive         Cooling, exter nal engine oil cooler         Sattery, heavy-duty 720 cold-cranking amps/80 Amp-Hr. maintenance-         free with undown protection and retained accessory power         Alternator, 170 amps         Trailer traits: controller, integrated         Trailer traits: controller, integrated         Trailer traits: controller, integrated         Sapped rears section         Recovery/hooks, front, frame-mounted, Black         Supensiten Package         Steering, Recirculating Ball with smart flow power steering system         Steering, Recirculating Ball with smart flow power steering system         State intolex, etc., wheel antitock, 4-wheel disc with DURALIFE rotors         Sapped rears indicator         Capters indicator         Sopport of the disc with DURALIFE rotors         Sapped rears indicator         Capters indicator         Sopport of the disc with DURALIFE rotors         Sapped rears indicator         Capters indicator         Sopport of the disc with DURALIFE rotors         Sapped rears indicator         Sopport on the delete.)         Exhaust: single side         Sopport on the delete.)         Exhaust: single side         Sopport on the delete.)         Exhaust single side         Sopport on the delete.)         Sopport on the delete.)         Exhaust single side         Sopport on the deletes.)         E	Air filter, heavy-duty		Anno -	
(Requires 4WD models.)       Auto-hocking rear differential         Four wheel drive       Image: Cooling cut in a lengine oil cooler         Cooling, cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Cooling, cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Goting, cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-free with rundown protection and retained accessory power       Image: Cooling cut in a lengine oil cooler         Atternator, 170 amps       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Trailer traks controller, integrated       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Stepering, Recruit-Cooling, cut in a fully-boxed       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Stepering, Recruit-Cooling, cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Stepering, Recruit-Cooling, cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Stepering Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler       Image: Cooling cut in a lengine oil cooler         Stepering Cooling cut in a lengine o	Air filtration monitoring			
Auto-locking rear differential          Four wheel drive          Cooling, exter nal engine oil cooler          Cooling, uxili ary external transmission oil cooler          Battery, heavy-duty 720 cold-canking amps/80 Amp-hr. maintenance- free with rundown protection and retained accessory power          Alternator, 170 amps          Tailer trake controller, integrated          Frame, fully-boxed, hydroformed from section and a fully-boxed          stamped rears section          Recoveryhools, front, frame-mounted, Black          Suspensitin Package          Stering, Recirculating Ball with smart flow power steering system          Brake ling, we an indicator          Caples fuel Fill (Requires (LET) 6.6 L VB gas engine. Not available with (ZW9) pixup load delete.)          Ehaaust sing é, side          BOOY CODE          Pickup bed, delete, Includes capped fuel fill, (SFW) Back-up alarm calibration, (9):10) rear tomper delete, (9(3) spart tirc delete and spare tire carrie delete, (Requires long bed model and 17" wheels.)         EXTERIOR          Wheels, 17" (43.2 cm) painted steel, Silver (STD)          Tire, size, 1726/2708 ZH all-terrain, blackwall (STD)          Tire, size, role keyed c	Transfer case, two-speed electronic shift with push button controls			
Four wheel drive	(Requires 4W/D models.)			
Cooling, external engine oil cooler       Image: Cooling, external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance- free with rundown protection and retained accessory power       Image: Cooling, external transmission oil cooler         Alternator, 7/20 amps       Image: Cooling, external engine oil cooler         Trailer trake: controller, integrated       Image: Cooling, external engine oil cooler         Trailer trake: controller, integrated       Image: Cooling, front, frame-mounted, Black         Suspension Fackage       Image: Cooling, front, frame-mounted, Black         Suspension Fackage       Image: Cooling, external engine oil cooler         Steering, Recirculating Ball with smart flow power steering system       Image: Cooling, external engine oil cooler         Brake: Incl. ock, 4-wheel disc with DURALIFE rotors       Image: Cooler engine oil cooler         Brake: Incl. ock, 4-wheel disc with DURALIFE rotors       Image: Cooler engine oil cooler         Brake: Incl. ock are indicator       Image: Cooler engine oil cooler         Cooling: stude Fill (Requires (LBT) 6.5L VB gas engine. Not available with       Image: Cooling engine oil cooler         Cooling: stude Fill       Image: Cooling engine oil cooler       Image: Cooler engine oil cooler         BOOP CODE       Image: Cooler cooler       Image: Cooler cooler       Image: Cooler cooler         EXTERIOR       Image: Cooler cooler cooler cooler cooler	Auto-locking rear differential			
Cooling_tuxiliary external transmission oil cooler       Image: Cooling_tuxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-free with undown protection and retained accessory power       Image: Cooling_tuxiliary external transmission oil cooler         Alternator, 170 amps       Image: Cooling_tuxiliary external transmission oil cooler         Trailer trake: controller, integrated       Frame, fully-boxed, hydroformed front section and a fully-boxed         stamped rear section       Recoveryhools, front, frame-mounted, Black         Suspensine Package       Image: Cooling_tuxiliary external transmission of the power steering system         Steering, Recirculating Ball with smart flow power steering system       Image: Cooling_tuxiliary external transmission of the power steering system         Brakes, Junkie al antitock, a-wheel disc with DURALIFE rotors       Image: Cooling_tuxiliary external transmission of the power steering system         Brake Junkie Miller Requires (LBT) 6. 6L VB gas engine. Not available with (ZW) pickup ibed delete.)       Image: Cooling of the power steering system         BODY CODE       Image: Cooling of the power steer tree ender delete. (Requires to gabe delete.)       Image: Cooling of the power steer tree ender delete.)         EXTERDING       Image: Cooling of the end spare tree correction of be delete.)       Image: Cooling of the ender of tree ender delete.)         Tree, zizeS/7 0R1Ze all-terrain, blackwall (STD)       Image: cooling of the ender of tree ender delete.)	Four wheel drive			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance- free with rundown protection and retained accessory power Alternator, 170 amps Trailer trakic controller, integrated Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section Recoveryhooks, front, frame-mounted, Black Suspensien Package Steering, Recirculating Ball with smart flow power steering system Brakes, -wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining we ari Indicator Capiess fuel Fill (Requires (IBT) 6.6L VB gas engine. Not available with (ZW9) pickup ibed delete.) Exhaust single, side BODY CODE Pickup Bed, delete includes capped fuel fill, (SFW) Back-up alarm calibratior, (3)(4) fraer bumper delete, (913) spart tire: delete and spare tire carrie del ete. (Requires long bed model and 17" wheels.) EXTENDE Veheels, 21" (43.2 cm) painted steel, Silver (STD) Tires, x7265/70R17E all-terrain, blackwall (STD) Tires, xrare 17:657/OR17E all-terrain, blackwall (STD) Tires, xrare trick keyed cylinder lock that utilizes same key as ignition and door Durabex, pi-kup bed (STD) Burnepr.erver, delete	Cooling, external engine oil cooler			
free with run.down protection and retained accessory power       Internator, 170 amps         Alternator, 170 amps       Internation         Trailer trakic controller, integrated       Internation         Frame, fully-boxed, hydroformed front section and a fully-boxed       Internation         stamped rear section       Recovery hools, front, frame-mounted, Black       Internation         Suspensin Package       Internation       Internation         Brakes, <i>i</i> -whe el antillock, 4-wheel disc with DURALIFE rotors       Internation       Internation         Brakes, <i>i</i> -whe el antillock, 4-wheel disc with DURALIFE rotors       Internation       Internation         Brakes, <i>i</i> -whe el antillock, 6(BT) 6.6 LVB gas engine. Not available with       Internation       Internation         (ZW9) pickup ibed delete.)       Internation       Internation       Internation         BODY CODE       Internation       Internation       Internation       Internation       Internation         Veheels, 127 (43.2 cm) painted steel, Silver (STD)       Internation	Cooling, auxili ary external transmission oil cooler			
Alternator, 170 amps       Image: Controller, integrated         Trailer trakis controller, integrated       Frame, fully-boxed, hydroformed front section and a fully-boxed         stamped rear section       Steering, frame-mounted, Black         Suspension Package       Steering, Recirculating Ball with smart flow power steering system         Brakes,whe el antilock, 4-wheel disc with DURALIFE rotors       Image: Controller, 4-wheel disc with DURALIFE rotors         Brake, Ining war indicator       Image: Controller, flow power steering system         Capless fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with       Image: Controller, flow power steering system         Exhaust single, side       Image: Controller, flow power steering system       Image: Controller, flow power steering system         Pickup bed, delete.)       Image: Controller, flow power steering system       Image: Controller, flow power steering system         BODY CODE       Image: Controller, flow power steering system       Image: Controller, flow power steering system         Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm       Image: Controller, flow power steering system       Image: Controller, flow power steering system         EXTERIOR       Image: Controller, flow power steering, blackwall (STD)       Image: Controller, flow power steering, blackwall (STD)       Image: Controller, flow power steering, blackwall, (STD)       Image: Controller, flow power steering, blackwall, (STD)       Image: Controler, flow	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-			
Trailer trake controller, integrated	free with rundown protection and retained accessory power			
Frame, fully-boxed, hydroformed front section and a fully-boxed       Image: Control of the section o	Alternator, 170 amps			
stamped rear section       Recoveryhools, front, frame-mounted, Black         Recoveryhools, front, frame-mounted, Black       Steering, Recirculating Ball with smart flow power steering system         Steering, Recirculating Ball with smart flow power steering system       Steering, Recirculating Ball with smart flow power steering system         Brakes, s-wheel antilock, 4-wheel disc with DURALIFE rotors       Steering, Recirculating Ball with smart flow power steering system         Brake lining wear indicator       Capless fuel F III (Requires (LBT) 6.5L VB gas engine. Not available with         (ZW9) pickup ibed delete.)       Exhaust single, side         BODY CODE       Steering Requires (LBT) 6.5L VB gas trice and spare trice are speed fuel fill, (SFW) Back-up alarm calibration, (914) rear bumper delete, (923) spart trice delete and spare trice carrie delete. (Requires long bed model and 17" wheels.)         EXTERIOR       EXTERIOR         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Tires, sare L72:65/70R17E all-terrain, blackwall (STD)         Tire, sare L72:65/70R17E all-terrain, blackwall (STD)       Tire carrier lock keyed cylinder lock that utilizes same key as lgnition and door         Durabec, plickup bed (STD)       Steering rear, delete       Steering rear, delete	Trailer trake controller, integrated			
Recoveryhooks, front, frame-mounted, Black       Suspension Package         Suspension Package       Steering, Recirculating Ball with smart flow power steering system         Brakes, -wheel antilock, 4-wheel disc with DURALIFE rotors       Brakes, -wheel antilock, 4-wheel disc with DURALIFE rotors         Brake liring w ear indicator       Capless Fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup ibed delete.)         Exhaust single, side       Exhaust single, side         BODY CODE       Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm         calibratior, (9!4) rear bumper delete, (9L3) spars tire: delete and spare tire carrie del ete. (Requires long bed model and 17" wheels.)       EXTERIOR         Vheels, 17" (43.2 cm) painted steel, Silver (STD)       Tire, synz (T265/7 0R17E all-terrain, blackwall (STD)         Tire, synz (T255/70R17E all-terrain, blackwall (STD)       Tire, synz (T3265/7 0R17E all-terrain, blackwall (STD)         Tire, since (STD)       Durabet, pirkup bed (STD)         Bumper, rear, delete       Exerce (STD)	Frame, fully-boxed, hydroformed front section and a fully-boxed			
Suspension Package       Image: Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors       Image: Steering in the system         Brake lining wear indicator       Image: Steering in the system         Capless fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup ibed delete.)       Image: Steering in the system         Exhaust single, side       Image: Steering in the system       Image: Steering in the system         BODY CODE       Image: Steering in the system       Image: Steering in the system         Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm       Image: Steering in the system       Image: Steering in the system         trice carrie delete. (Requires long bed model and 17" wheels.)       Image: Steering in the system in the system       Image: Steering in the system         EXTERIOR       Image: Steering in the system is system in the system in the system is system in the system in the system	stamped rear section			
Steering, Recirculating Ball with smart flow power steering system       Brakes, 4-wheel disc with DURALIFE rotors         Brake lining w ear indicator       Brake lining w ear indicator         Capless fuel, Fill (Requires (LBT) 6.6. VB gas engine. Not available with       C/C/C/C/C/C/C/C/C/C/C/C/C/C/C/C/C/C/C/	Recoveryhooks, front, frame-mounted, Black			
Brakes, 4-whe el antilock, 4-wheel disc with DURALIFE rotors       Image: Ining we ar indicator         Brake lining we ar indicator       Image: Ining we ar indicator         Capless fuel F ill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup ibed delete.)       Image: I	Suspension Paickage			
Brake lining w ear indicator	Steering, Recirculating Ball with smart flow power steering system			
Capless fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with (ZW9) pickup ibed delete.)          Exhaust single, side          BODY CODE          Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm calibratior, (9!4) rear bumper delete, (9L3) spare tire: delete and spare tire carrier del ete. (Requires long bed model and 17" wheels.)          EXTERIOR          Wheels, 17" (43.2 cm) painted steel, Silver (STD)          Tires, :T265/7 OR17E all-terrain, blackwall (STD)          Tire carrier loc:k keyed cylinder lock that utilizes same key as ignition and door          Duraber, pickup bed (STD)          Bumper, rear, delete	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
(ZW9) pikup ibed delete.)       Image: Single	Brake linng wear indicator	-		
Exhaust single, side       Image: side         BODY CODE       Image: side         Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm       Image: side         calibratior, (9.14) rear bumper delete, (9L3) spare tire: delete and spare       Image: side         tire carrie del ete. (Requires long bed model and 17" wheels.)       Image: side         EXTERIOR       Image: side         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: side         Tires, .1265/7 OR17E all-terrain, blackwall (STD)       Image: side         Tire, soare LT2/265/70R17E all-terrain, blackwall (STD)       Image: side         Tire carrie lock keyed cylinder lock that utilizes same key as ignition and door       Image: side         Durabec, pic-kup bed (STD)       Image: side side (STD)         Bumper, rear, delete       Image: side side side side side side side side	Capless fuel F ill (Requires (LBT) 6.6L VB gas engine. Not available with			
BODY CODE	(ZW9) pickup lbed delete.)			
Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm       Image: Calibration, (91)4) rear bumper delete, (913) spare tire; delete and spare tire; carrier del ete. (Requires long bed model and 17" wheels.)         EXTERIOR       Image: Calibration, 17" (43.2 cm) painted steel, Silver (STD)         Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Calibration, 1265/7 0R17E all-terrain, blackwall (STD)         Tires, LT265/7 0R17E all-terrain, blackwall (STD)       Image: Calibration of the calibration o	Exhaust single, side			
calibratior, (9)(4) rear bumper delete, (9L3) spare tire; delete and spare   tire carrier del ete. (Requires long bed model and 17" wheels.)   EXTERIOR   Wheels, 17" (43.2 cm) painted steel, Silver (STD)   Tires, .T265/7 0R17E all-terrain, blackwall (STD)   Tire, spare LT2:65/70R17E all-terrain, blackwall (STD)   Tire carrier loc:k keyed cylinder lock that utilizes same key as ignition and door   Durabee, pii:ckup bed (STD)   Bumper, rear, delete	BODY CODE			
tire carrie del ete. (Requires long bed model and 17" wheels.)       Image: constraint of the state of the s	Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm			
EXTERIOR       Image: Constraint of the steel stee	calibration, (9.14) rear bumper delete, (9L3) spare tire? delete and spare			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)       Image: Silver (STD)         Tires, 17265/7 0R17E all-terrain, blackwall (STD)       Image: Silver Silver (STD)         Tire, spare LT2?65/70R17E all-terrain, blackwall (STD)       Image: Silver	tire carrie del ete. (Requires long bed model and 17" wheels.)			
Tires, LT265/7 0R17E all-terrain, blackwall (STD)       Image: Display the state of the state o	EXTERIOR			
Tire, spare LT2:65/70R17E all-terrain, blackwall (STD)       Image: Comparison of the space of	Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition       Image: Carrier lock keyed cylinder lock that utilizes same key as ignition         and door       Image: Carrier lock keyed (STD)         Durabec, pickup bed (STD)       Image: Carrier lock keyed (STD)         Bumper, rear, delete       Image: Carrier lock keyed (STD)	Tires, LT265/7 OR17E all-terrain, blackwall (STD)			
and door Duraber, pickup bed (STD) Bumper, rear, delete				
Durabec, pickup bed (STD) Bumper, rear, delete	Tire carrier loc:k keyed cylinder lock that utilizes same key as ignition			
Bumper, rear, delete	and door	-		
	Duraber, pirckup bed (STD)			
Paint Color - Summit White				
	Paint Color - Summit White			

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

### Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Bumpers, front, Black			
Moldings, beltline, Black			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount			
stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailering with heated and			
auto-dimming; upper glass lower convex mirrors, turn signal indicators,			
puddle lamps, (U12) perimeter lighting, auxiliary lighting, power			
folding/manual extending (extends 3.31" [84.25mm])			
Mirror caps, Black			
Glass, deep-tinted			
Trailering Package includes trailer hitch, 7-pin connector and (CTT)			
Hitch Gudance			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and			
under-seat stiorage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD			
color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2			
active devices, voice command pass-through to phone, Wireless			
Apple CarPlay and Wireless Android Auto compatbility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			
LPO, All-weather floor liners 1st row only on Regular Cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security			
feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level,			
engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Tinted vindow/s and rear-window defogger			
Windov, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power	-		
Remote Keyle ss Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel			
mounted			
USB Ports, 2, Charge/Data ports located on instrumient panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

#### Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Air vents, rear, heating/cooling			
Trailering mirrors			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-			
pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
Capped Fuel Fill			
Automatic Ernergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and			
traction control, includes electronic trailer sway control and hill start			
assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard			
passenger; Seat-mounted side-impact airbags Includes front outboard			
Passenger Sensing System for frontal outboard passenger airbag			
(Always use seat belts and child restraints. Children are safer when			
properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
Rear Camera Kit includes camera, fixed position bracket & 19 ft			
cable with attachment clips. Rear camera radio calibration provided			
from the factory.			
Hitch Guidance dynamic single line to aid in trailer alignment for			
hitching			
Lane Departure Warning			
Following Distance Indicator			
Forward Collission Alert			
Buckle to Drive prevents vehicle from being shifted out of Park until			
driver seat belt is fastened; times out after 20 seconds and encourages			
seat belt use, can be turned on and off in Settings menu			
Back-up alarm calibration This calibration will allow installation of an			
aftermarket back-up alarm by disabling rear perimeter lighting			
Tire Pressure Monitoring System			

## 2025/2026 2500HD 4WD Regular Cab 142" Work Truck

#### Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with			
core OnStar services including remote commands, built-in voice			
assistance, real-time traffic and navigation, and Automatic Crash			
Response to help if you're in need. (OnStar Basics includes remote			
commands, Navigation, Voice Assistance, and Automatic Crash			
Response, for eligible vehicles with compatible sofMare. For MY25			
vehicles, OnStar Basics is standard for 8 years; OnStar plan, working			
electrical system, cell reception and GPS signal required. OnStar links			
to emergency services. Service coverage varies with conditions and			
location. Service availability, features and functionality vary by device			
and software version. See onstar.com for details and limitations.)			
Serviced Body Spec DEALER CAB CHASSIS 56" CA SRW			
STOCK BODY - 40-VO-98 40"H ROYAL BODY w/OPEN TOP LIDS			
ROYAL'S SECURITY HARDWARE, ONE-KEY SOLUTION AUTOMOTIVE			
LOCK PKG, ALUMINUM LID COVERS, APPEARANCE PACKAGE, 8"			
RECESSED ROYAL BUMPER, LED LEGAL LIGHT PKG.REMOVABLE			
STORAGE BINS IN OPEN TOP COMPARTMENTS BOTH SIDES, 4 TIE			
DOWNS IN BED AREA. WEIGHT CERT. PAINTED WHITE AND			
INSTALLED.			
R-1-98-15-REG - REG TAPERED OVER CAB RACK W/SWINGAWAY REAR			
X-BAR- 98"			
H-2SC - SERVICE BODY/COMBO CLASS 5 RECEIVER HITCH (2-1/2"			
RECEIVER TUBE) AND HITCH INSERT, 16,000 LBS GTW			
H-4 - 7 BLADE/ 4 PIN TRAILER CONNECTOR			
CAMGM - CAMERA GM ***NOT FOR CHASSIS 360 DEGREE CAMERA			
OPTION**** -**CHASSIS MUST BE EQUIPPED WITH FACTORY REAR			
VIEW CAMERA PROVISIONS***			
MK98GMSG - GM GAS MOUNTING KIT 98 SINGLE			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: \_\_\_\_\_ Qty.: 3 Unit Price: \_\_\_\_\_ Upfit Price: \_\_\_\_\_ Total Tax \$\_\_\_\_\_ Total \$\_\_\_\_\_ Approximate Delivery \_\_\_\_\_ Date

Exhibit D

### 2025/2026 3500HD 4WD Regular Cab 142" Work Truck

#### Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Engine, 6.6L V8 with Direct Injection and Variable Valve Timing,			
gasoline, (401. hp [299 kW] @ 5200 rpm, 464 lbft of torque			
[629 N-m]@ 4000 rpm) (STD)			
Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T)			
6.6L V8 gas engine.)			
Rear axle, 3.7'3 ratio (Requires (L8T) 6.6L V8 gas engine			
GVWR, 14,000 lbs. (6350 kg) with dual rear wheels (Included and only			
available with dual rear wheels and long bed model.)			
Push Button Start			
Air filter, heavy-duty			
Air filtraton monitoring			
Transfer case, two-speed electronic shift with push button controls			
(Requires 4W/D models.)			
Auto-locking rear differential			
Four wheel clrive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-			
free with rundown protection and retained accessory power			
Alternator, 170 amps			
Trailer brake controller, integrated			
Frame, fully -boxed, hydroformed front section and a fully-boxed			
stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless fuel Fill (Requires (LBT) 6.6L VB gas engine. Not available with			
(ZW9) pickup bed delete.)			
Exhaust , single, side			
EXTERIOR			
Wheels, 18" (45.7 cm) Polished forged aluminum			
Tires, LT235/80R18 all-terrain, Blackwall (Available on dual rear wheels			
only. Requires (021) 18" polished forged aluminum wheels.)			
Tire, spare LT235/80R18 blackwall all-terrain (Available on dual rear			
wheels only. Requires (OHY) LT235/80R18 blackwall all-terrain tires.)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition			
and door			
Durabed, pickup bed (STD)			
WT Convenience Package includes (QT5) EZ Lift power lock and release			
tailgate			
Tailgate, lecking, utilizes same key as ignition and door			
Gooseneck/ 5th Wheel Prep Package - Hitch platform to accept			

## 2025/2026 3500HD 4WD Regular Cab 142" Work Truck

## Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Gooseneck or 5th Wheel hitch. Includes hitch platform with tray to			
accept ball, stamped bed holes with removable caps installed and bed			
mounted 7-pin trailer harness (similar to UY2 harness). (Regular Cab			
model requires (PCV) WT Convenience Package or (ZLQ) WT Fleet			
Convenience Package. Includes (CGN) Chevytec spray-on bedliner. Not			
available with (ZW9) pickup bed delete)			
Paint Color - Summit White			
Bumpers, rear, Black			
Bumpers, front, Black			
Moldings, beltline, Black			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount			
stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailering with heated and			
auto-dimming upper glass lower convex mirrors, turn signal indicators,			
puddle lamps, (U12) perimeter lighting, auxiliary lighting, power			
folding/manual extending (extends 3.31" [84.25mm])			
Mirror caps, Black			
Glass, deep-tinted			
Trailering Package includes trailer hitch, 7-pin connector and (CTT)			
Hitch Guidance			
Chevytec spray-on bedliner Black (does not include spray-on liner on			
tailgate due to Black composite inner panel) (Included with (26A)			
Gooseneck/ 5th Wheel Prep Package			
Lamps, Smoked Amber roof marker			
Bed Step, Black integrated on forward portion of bed on driver and			
passenger side			
Corner Step, rear bumper			
Cargo tie downs (12), fixed, rated at 500 lbs. per corner			
Tailgate and bed rail protection cap, top			
Door handles, Black grained			
INTERIOR/COMFORT		Autora and a second	
Seats, front 40/20/40 split-bench with covered armrest storage and			
under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD			
color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2			
active devices, voice command pass-through to phone, Wireless			
Apple CarPlay and Wireless Android Auto compatibility (STD)			
Audio system feature, 2-speakers			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			
inder overling, color hered on pering			

## 2025/2026 3500HD 4WD Regular Cab 142" Work Truck

### Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
LPO, All-weather floor liners 1st row only on Regular Cab	125	110	
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security			
feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level,			
engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Tinted windows and rear-window defogger electric			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel			
mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			
Air vents, rear, heating/cooling			
Trailering mirrors			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-			
pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
Capped Fuel Fill			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and			
traction control, includes electronic trailer sway control and hill start			
assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard			
passenger; Seat-mounted side-impact airbags Includes front outboard			
Passenger Sensing System for frontal outboard passenger airbag			
(Always use seat belts and child restraints. Children are safer when			
properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for			
hitching			

### 2025/2026 3500HD 4WD Regular Cab 142" Work Truck

#### Dual Rear Wheels Truck CK30903 Model or Equal

Lane Departure Warning Following Distance Indicator Forward Collision Alert Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu		
Forward Collision Alert Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages	 	
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages		
driver seat belt is fastened; times out after 20 seconds and encourages		
seat belt use can be turned on and off in Settings menu		
sear bere abe, carrier on and on an occurs briteria		
Trailering Information Label provides max trailer ratings for tongue		
weight, conventional, gooseneck and 5th wheel trailering		
Tire Pressure Monitoring System with Tire Fill Alert		
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with		
core OnStar services including remote commands, built-in voice		
assistance, real-time traffic and navigation, and Automatic Crash		
Response to help if you're in need. (OnStar Basics includes remote		
commands, Navigation, Voice Assistance, and Automatic Crash		
Response, for eligible vehicles with compatible sofMare. For MY25		
vehicles, OnStar Basics is standard for 8 years; OnStar plan, working		
electrical system, cell reception and GPS signal required. OnStar links		
to emergency services. Service coverage varies with conditions and		
location. Service availability, features and functionality vary by device		
and software version. See onstar.com for details and limitations.)		
WARRANTY		
Warranty Note: <<< Preliminary 2025 Warranty >>>		
Basic Years: 3		
Basic Miles/km: 36,000		
Drivetrain Years: 5		
Drivetrain Miles/km: 60,000		
Corrosion Years (Rust-Through): 6		
Corrosion Years: 3		
Corrosion Miles/km (Rust-Through): 100,000		
Corrosion Miles/km: 36,000		

Comply Minimum Spec: \_\_\_\_\_ Qty.: 1 Unit Price: \_\_\_\_\_ Upfit Price: \_\_\_\_\_ Total Tax \$\_\_\_\_\_ Total \$ \_\_\_\_\_ Approximate Delivery \_\_\_\_\_ Date

Exhibit F