

REQUEST FOR PROPOSAL

BID DUE DATE: July 10, 2025 (5:00 pm MDST)

DESCRIPTION: Request for proposal for Fleet vehicles

RE-BID NO. 25-05-3674GC

CONTACT PERSON: Raymond Holyan, Department Manager III
Fleet Management Department
Division of General Services
THE NAVAJO NATION
Telephone Number: (928) 871-6662
Fax Number: (928) 871-7038

RETURN ALL RESPONSES TO:

DELIVER TO: THE NAVAJO NATION
Fleet Management Department
Building 2749, Indian Route 100
Window Rock, Arizona 86515
ATTN: Verna S. Yazzie
RE-BID NO. 25-05-3674GC

OR

MAIL TO: THE NAVAJO NATION
Fleet Management Department
Post Office Box 608
Window Rock, Arizona 86515
ATTN: Verna S. Yazzie
RE-BID NO. 25-05-3674GC

(Must identify Bid# and Company Name on the outside of a sealed envelope)

Please submit an original, and two extra (2) copies of your bid to be enclosed in One sealed envelope, with the following attachments: 2024 W-9, and NN Debarment form.

Proposals will not be accepted after deadline

No facsimile, electronic or telephone proposals will be accepted

Bid shall include vehicle & upfit pricing into One complete price bid

Navajo Nation Fleet Management Department follows the Navajo Nation Business Opportunity Act.
<https://www.nnooc.org/request-for-proposals/>

A. PURPOSE OF THIS REQUEST FOR PROPOSAL (RFP)

The Navajo Nation Fleet Management Department within the Division of General Services is seeking to purchase thirteen (13) Diesel Pick-Up Trucks, the models and size of the pick-up trucks all vary (Double Cabs w/Platforms Dual Wheels, Regular Cabs w/Platforms Dual Wheels, and Crew Cab). The specification is attached by exhibits (A, B & C), please review carefully. All respective auto dealers must be from an authorized and fully certified licensed automotive dealership that meets all the standards and qualifications from the vehicle manufacturers in terms of facilities, equipment, parts, tools and trained technicians to handle all required services. Vehicles must be delivered in a timely manner as bid evaluation will be based on most responsive bid. Bid price shall be F.O.B. (Freight on Board) to Window Rock and to the designated delivery point at Fleet Management Department. Vehicles shall be delivered to the Navajo Nation free from any purchase money or other lien or security interest notwithstanding any applicable Navajo Nation sales Tax. The manufacturer's published warranty for each vehicle shall apply to all vehicles purchased by the Fleet Management Department.

B. CONDITIONS GOVERNING THE PROCUREMENT

Bid price shall be effective on date of award and the availability of funds will determine the number of vehicles to be purchased, and additional Navajo Nation procurement for like-kind and quality of vehicle, also qualified for bid price. Fleet Management personnel will make on-site visits to either manufacturer's/bidder's facilities, as needed, to ensure compliance with specifications are met, or approve any deviations, if necessary.

Time schedule for advertisement and deadline for bid submissions will follow the chart as indicated:

Advertise Request for Proposal	DATE: July 2, 2025
Deadline for RFP Submittals	DATE: July 10, 2025
Official Opening Bid Proposals	DATE: July 11, 2025
Award Bid	DATE: July 14, 2025 <i>(Tentatively)</i>

The dates on the time schedule are all tentative, any changes will be at the discretion of Fleet Management Department.

The respective bidder must disclose upfit vendor, location, and pricing of all upfit parts and installation fees. Schematics of wiring diagram shall be submitted once bidder is identified. Pricing of the upfit should match the specification/price sheet on all specification exhibits.

A selection criterion will be used to determine an adequate responsive bidder and they are as follows:

Criteria	Weighted Points
Responsiveness/Complete Bid Submission	5 POINTS
Pricing	5 POINTS
Specification	5 POINTS
Vehicle Availability	5 POINTS
Total	20 POINTS

The respective bidder shall include the Navajo Nation Sales Tax, 6% on all goods and services pertaining to this proposal, Navajo Nation sales tax (6%) [24 NNC § 601et seg.]. For more information or specific questions regarding the applicable sales tax, please contact the Office of the Navajo Tax Commission, Compliance Department at 928-871-6681.

Fleet reserves the right to reject any and all proposals.

All upfit personnel must be EVT (Emergency Vehicle Technician) certified to perform emergency equipment installation and repairs.

The Navajo Nation Fleet Management will receive, at time of delivery of vehicles, all pertinent documents necessary for titling and licensing vehicles, documents include Manufacturer's Statement of Origin, Odometer statement. Provide schematics of the upfit. Only Fleet Management will be responsible for registering all vehicles through the Navajo Nation Property Management Department.

The Navajo Nation is a sovereign government and all contracts entered because of the RFP shall comply with the Navajo Nation Laws, rules and regulations, Navajo Business Opportunity Act and including the Navajo Preference in Employment Act, and applicable federal law, rules, and regulations.

C. SPECIFICATIONS

See the following attachments (exhibit A – 3500HD 4WD Double Cab 162” Dual Wheels w/Platform Work Truck), (exhibit B – 3500HD 4WD Regular Cab 142” Dual wheels w/Platform Work Truck) and (exhibit C – 2500 4WD Crew Cab 149” Work Truck). The specifications detail for each class of vehicle and required quantity, including upfits (platforms) and any additional not included in the exhibits. Bid price must meet minimum specification or exceed minimum specifications. Bid must note any exceptions.

FLEET MANAGEMENT DEPARTMENT

Vehicle Acquisition

Re-Bid Number: 25-05-3674GC

2025/2026 Vehicle Specifications

<u>Vehicle Class</u>		<u>Description</u>	<u>Quantity</u>
V	2025/2026	3500HD 4WD Double Cab 162" Dual Rear Wheels Platform Bed Diesel Work Truck	4
V	2025/2026	3500 HD 4WD Reg Cab 142" Dual Rear Wheels Platform Bed Diesel Work Truck	3
IV	2025/2026	2500 HD 4WD Crew Cab 149" Diesel Work Truck	6
Total:			<u>13</u>

Class V			
2025/2026 3500HD 4WD Double Cab 162" Work Truck			
Dual Rear Wheels w/ Platform CK30953 Model or Equal			
Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Emissions, Federal requirements			
Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible (470 hp [350.5 kW] @ 2800 rpm, 975 lb-ft of torque [1322 Nm]@ 1600 rpm)			
Transmission, Allison 10-speed automatic			
Rear axle, 3.42 ratio (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine.)			
GVWR, 14,000 lbs. (6350 kg) with dual rear wheels (Included and only available with dual rear bed model.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr maintenance-free with rundown protection and retained accessory power			
Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel VB engine			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capped Fuel Fill (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine or (ZV9) pickup bed delete.)			
Engine block heater			
Exhaust brake (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine.)			
Skid Plates protect the oil pan, front axle and transfer case			
Exhaust, single, side			
BODY CODE			
ZV9 Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm calibration, (9J4) rear bumper (\$1,016.40) delete, (9L3) spare tire delete and spare tire carrier delete. (Requires long bed model and 17" or 18" wheels.) *CREDIT*			
Dual Rear Wheels includes LED hip marker lights (Requires long bed model and (G9Y) 14,000 lbs. (6350 kg) GVWR.)			
Work Truck Preferred Equipment Group includes standard equipment			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel (Requires dual rear wheels.			
Tires, LT235/80R17E all-terrain, blackwall (Requires dual rear wheels.)			
Tire, spare LT235/80R17E all-terrain			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition			

Wheel trim, painted center caps (Requires dual rear wheels.)				
Paint Color - Summit White				
Bumper, rear, delete				
Winter Grille Cover				
Bumpers, front, Black				
Moldings, beltline, Black				
Headlamps, halogen reflector with halogen Daytime Running Lamps				
IntelliBeam, automatic high beam on/off				
Tail lamps with incandescent tail stop and reverse lights				
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel				
Lamps, Smoked Amber roof marker				
Mirrors, outside high-visibility vertical trailer/lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black				
Mirror caps, Black				
Glass, deep-tinted (Include with (PCV) WT convenience package.)				
Trailer/lamp Package includes trailer hitch, 7-pin connector and (CTT Hitch Guidance) (Deleted when (ZW9) pickup bed delete is ordered.)				
Door handles, Black grained				
INTERIOR/COMFORT				
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)				
Jet Black, Cloth seat trim				
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)				
Bluetooth for phone connectivity to vehicle infotainment system				
Audio system feature, 6-speaker system				
Seat adjuster, driver 4-way manual				
Seat adjuster, passenger 4-way manual				
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)				
Floor covering, color-keyed carpeting				
LPO, all-weather floor liners 1st and 2nd rows on double cab				
Steering wheel, urethane				
Steering column, Tilt-Wheel, manual with wheel locking security feature				
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure				
Driver Information Center, 3.5" diagonal monochromatic display				
Exterior Temperature Display located in radio display				
Compass located in instrument cluster				
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)				
Window, power front, drivers express up/down				
Window, power front, passenger express down				
Windows, power rear, express down				
Defogger, rear window electric				
tinted windows				
Door locks, power				
Remote Keyless Entry with 2 transmitters				
Cruise control, electronic with set and resume speed, steering wheel mounted				
USB Ports, 2, Charge/Data ports located on instrument panel				

Power outlet, front auxiliary, 12-volt				
Air conditioning, single-zone				
Air vents, rear, heating/cooling				
Mirror, inside rearview, manual tilt				
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted				
Back-up alarm calibration This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting				
Rear Camera Kit Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory.				
Chevrolet Connected Access capable				
SAFETY/MECHANICAL				
Skid Plates protect the oil pan, front axle and transfer case				
Automatic Emergency Braking				
Front Pedestrian Braking				
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist				
SAFETY/EXTERIOR				
Daytime Running Lamps with automatic exterior lamp control				
SAFETY/INTERIOR				
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.				
OnStar Services capable				
HD Rear Vision Camera				
Hitch Guidance dynamic single line to aid in trailer alignment for hitching				
Lane Departure Warning				
Following Distance Indicator				
Forward Collision Alert				
Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)				
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu				
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)				
Indicator-Seat Belt WARNING, Rear Seat				
Tire Pressure Monitoring System with Tire Fill Alert				
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)				
UPFIT (Platform) SPECIFICATIONS:				
Furnish and install a 8' drw CM model RD bed with				

weld on headboard, 30K drop down gooseneck flatbed with 2) 7-way rv 24K receiver hitch, all legal lights, fuel spouts, mud flaps, and an ice bumper. all to be black in color.					
Furnish and install an 8' drw CM bed model S5 or RD with a tapered headboard, led lights, 30 k drop down gooseneck hitch with trap door, 18.5K reciever hitch, 2) 7 way rv sockets, mud flaps, and all to be black in color.					
Adapter GM bed delete 2020-2021					
CM RD model 8'6"x97" bed with headache rack, 1/8" treadplate deck, 4" structural long sills, 3" x 3/16" channel, tapered rear skirt, 30K gooseneck ball with trap door, 18.5K rear reciever hitch, 2) 7way rv plugs, and all led lights. The bed will be black					
WARRANTY					
Warranty Note: <<< Preliminary 2025 Warranty >>>					
Basic Years: 3					
Basic Miles/km: 36,000					
Drivetrain Years: 5					
Drivetrain Miles/km: 60,000					
Corrosion Years (Rust-Through): 6					
Corrosion Years: 3					
Corrosion Miles/km (Rust-Through): 100,000					
Corrosion Miles/km: 36,000					

Comply Minimum Spec: _____ Qty.: 4 Unit Price: _____ Uplift Price: _____ Total Tax \$ _____ Total \$ _____ Approximate Delivery _____ Date _____

Class V			
2025/2026 3500HD 4WD Regular Cab 142" Work Truck			
Dual Rear Wheels w/ Platform CK30903 Model or Equal			
Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Emissions, Federal requirements			
Engine, Duramax 6.6L Turbo-Diesel VB, B20-Diesel compatible (470 hp [350.5 kW] @ 2800 rpm, 975 lb-ft of torque [1322 Nm]@ 1600 rpm)			
Transmission, Allison 10-speed automatic			
Rear axle, 3.42 ratio (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine.)			
GVWR, 14,000 lbs. (6350 kg) with dual rear wheels (Included and only available with dual rear bed model.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr maintenance-free with rundown protection and retained accessory power			
Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel VB engine			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capped Fuel Fill (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine or (ZW9) pickup bed delete.)			
Engine block heater			
Exhaust brake (Included and only available with (L5P) Duramax 6.6L Turbo-Diesel VB engine.)			
Skid Plates protect the oil pan, front axle and transfer case			
Exhaust, single, side			
BODY CODE			
Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm calibration, (9J4) rear bumper delete, (9L3) spare tire delete and spare tire carrier delete. (Requires long bed model and 17" or 18" wheels.)			
CREDIT			
Dual Rear Wheels includes LED hip marker lights (Requires long bed model and (G9Y) 14,000 lbs. (6350 kg) GVWR.)			
Work Truck Preferred Equipment Group includes standard equipment			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel (Requires dual rear wheels.			
Tires, LT235/80R17E all-terrain, blackwall (Requires dual rear wheels.)			
Tire, spare LT235/80R17E all-terrain			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition			

[illegible]

mounted				
USB Ports, 2, Charge/Data ports located on instrument panel				
Power outlet, front auxiliary, 12-volt				
Air conditioning, single-zone				
Air vents, rear, heating/cooling				
Mirror, inside rearview, manual tilt				
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted				
Back-up alarm calibration This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting				
Rear Camera Kit Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory.				
Chevrolet Connected Access capable				
SAFETY/MECHANICAL				
Skid Plates protect the oil pan, front axle and transfer case				
Automatic Emergency Braking				
Front Pedestrian Braking				
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, Includes electronic trailer sway control and hill start assist				
SAFETY/EXTERIOR				
Daytime Running Lamps with automatic exterior lamp control				
SAFETY/INTERIOR				
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.				
OnStar Services capable				
HD Rear Vision Camera				
Hitch Guidance dynamic single line to aid in trailer alignment for hitching				
Lane Departure Warning				
Following Distance Indicator				
Forward Collision Alert				
Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)				
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu				
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)				
Indicator-Seat Belt WARNING, Rear Seat				
Tire Pressure Monitoring System with Tire Fill Alert				
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)				

UPFIT (Platform) SPECIFICATIONS:			
Furnish and install a 8' drw CM model RD bed with weld on headboard, 30K drop down gooseneck flatbed with 2) 7-way rv 24K receiver hitch, all legal lights, fuel spouts, mud flaps, and an ice bumper. all to be black in color.			
Furnish and install an 8' drw CM bed model SS or RD with a tapered headboard, led lights, 30 k drop down gooseneck hitch with trap door, 18.5K reciever hitch, 2) 7 way rv sockets, mud flaps, and all to be black in color.			
Adapter GM bed delete 2020-2021			
CM RD model 8'6"x97" bed with headache rack, 1/8" treadplate deck, 4" structural long sills, 3" x 3/16" channel, tapered rear skirt, 30K gooseneck ball with trap door, 18.5K rear reciever hitch, 2) 7way rv plugs, and all led lights. The bed will be black			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: Qty.: 3 Unit Price: Upfit Price: Total Tax \$ Total \$ Approximate Delivery Date

Class IV						
2025/2026 2500HD 4WD Crew Cab 149" Work Truck						
CK20753 Model or Equal						
Minimum Specification Requirements				YES	NO	EXCEPTIONS TAKEN
MECHANICAL						
Emissions, Federal requirements						
Engine, Duramax 6.6L Turbo-Diesel VB, B20-Diesel compatible (470 hp [350.5 kW] @ 2800 rpm, 975 lb-ft of torque [1322 Nm]@ 1600 rpm)						
Transmission, Allison 10-speed automatic						
Rear axle, 3.42 ratio (included and only available with (LSP) Duramax 6.6L Turbo-Diesel VB engine.)						
GVWR, 11,000 lbs. (4990 kg)						
Push Button Start						
Air filter, heavy-duty						
Air filtration monitoring						
Transfer case, two-speed electronic shift with push button controls						
Auto-locking rear differential						
Four wheel drive						
Cooling, external engine oil cooler						
Cooling, auxiliary external transmission oil cooler						
Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr maintenance-free with rundown protection and retained accessory power						
Alternator, 220 amps (Included with (LSP) Duramax 6.6L Turbo-Diesel VB engine						
Trailer brake controller, integrated						
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section						
Recovery hooks, front, frame-mounted, Black						
Suspension Package						
Steering, Recirculating Ball with smart flow power steering system						
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors						
Brake lining wear indicator						
Capped Fuel Fill (Included and only available with (LSP) Duramax 6.6L Turbo-Diesel VB engine or (ZW9) pickup bed delete.)						
Engine block heater						
Exhaust brake (included and only available with (LSP) Duramax 6.6L Turbo-Diesel VB engine.)						
Skid Plates protect the oil pan, front axle and transfer case						
Exhaust, single, side						
Dual Rear Wheels includes LED hip marker lights (Requires long bed model and (GY) 14,000 lbs. (6350 kg) GVWR.)						
Work Truck Preferred Equipment Group includes standard equipment						
EXTERIOR						
Wheels, 17" (43.2 cm) painted steel, Silver						
Tires, LT265/70R17E all-terrain, blackwall (Requires dual rear wheels.)						
Tire, spare LT265/70R17E all-terrain						
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door						
Wheel trim, painted center caps (Requires dual rear wheels.)						
Paint Color - Summit White						
Lift power lock and release tailgate						
Gooseneck/5th Wheel Prep Package Hitch to accept Gooseneck or 5th Wheel hitch Includes hitch platform with tray to accept ball, stamped						

bed holes with removable caps installed and bed mounted 7-pin trailer harness				
Glass, deep-tinted				
Winter Grille Cover				
Chevytec spray-on bedliner Black (does not include spray-on liner on tailgate due to Black composite inner panel)				
Tailgate, gate function manual with EZ Lift includes power lock and release				
Tailgate and bed rail protection cap, top				
Bumpers, rear, Black				
Bumpers, front, Black				
Moldings, beltline, Black				
CornerStep, rear bumper				
Cargo tie downs (12), fixed rated at 500 lbs per corner				
BedStep, Black integrated on forward portion of bed on driver and passenger side				
Headlamps, halogen reflector with halogen Daytime Running Lamps				
IntelliBeam, automatic high beam on/off				
Tail lamps with incandescent tail, stop and reverse lights				
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel				
Lamps, Smoked Amber roof marker				
Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black				
Mirror caps, Black				
Glass, deep-tinted (Include with (PCV) WT convenience package.)				
Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZMW9) pickup bed delete is ordered.)				
Door handles, Black grained				
INTERIOR/COMFORT				
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)				
Jet Black, Cloth seat trim				
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)				
Bluetooth for phone connectivity to vehicle infotainment system				
Audio system feature, 6-speaker system				
Seat adjuster, driver 4-way manual				
Seat adjuster, passenger 4-way manual				
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)				
Floor covering, color-keyed carpeting				
LPO, all-weather floor liners 1st and 2nd rows on double cab				
Steering wheel, urethane				
Steering column, Tilt-Wheel, manual with wheel locking security feature				
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure				
Driver Information Center, 3.5" diagonal monochromatic display				
Exterior Temperature Display located in radio display				
Compass located in instrument cluster				
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)				
Window, power front, drivers express up/down				

Window, power front, passenger express down				
Windows, power rear, express down				
Defogger, rear window				
tinted windows				
Door locks, power				
Remote Keyless Entry with 2 transmitters				
Cruise control, electronic with set and resume speed, steering wheel mounted				
USB Ports, 2, Charge/Data ports located on instrument panel				
Power outlet, front auxiliary, 12-volt				
Air conditioning, single-zone				
Air vents, rear, heating/cooling				
Mirror, inside rearview, manual tilt				
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted				
Back-up alarm calibration This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting				
Rear Camera Kit Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory.				
Chevrolet Connected Access capable				
SAFETY/MECHANICAL				
Skid Plates protect the oil pan, front axle and transfer case				
Automatic Emergency Braking				
Front Pedestrian Braking				
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist				
SAFETY/EXTERIOR				
LPO, Hitch Package Gooseneck ball and chain tiedown kit with case, (dealer-installed)				
Daytime Running Lamps with automatic exterior lamp control				
SAFETY/INTERIOR				
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.				
OnStar Services capable				
HD Rear Vision Camera				
Hitch Guidance dynamic single line to aid in trailer alignment for hitching				
Lane Departure Warning				
Following Distance Indicator				
Forward Collision Alert				
Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)				
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu				
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)				
Indicator-Seat Belt WARNING, Rear Seat				
Tire Pressure Monitoring System with Tire Fill Alert				
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice				

assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

Upfit Patrol Package

*****Winch ***Front of Unit**

1ea. Use for winch mount option, Chevy 2500 / 3500HD 2020 +, HDX Winch Mount Grille Guard. Fits Medium frame 8,000 - 12,000 lb winches.				
1ea. SX12SR Winch 12,000 lbs., 12 VDC, 3/8 in x 80 ft. synthetic rope, ergo handheld remote control, 6.0 HP, automatic brake, 3-stage planetary, 23:1 gear ratio, ergo pull and turn freespool clutch, aluminum hawse fairlead. 8/24				
1ea. RECOVERY KIT HEAVY DUTY. Snatch Block, Shackles, Gloves, Recovery Strap, Tree trunk protector, Chain. Bag. 10/22				
2ea. Winch Rope Damper Heavy duty vinyl type material with lead free weight. Interior accessory pockets, and hook & loop 6/22				
1ea. Winch Hook Snubber. 3/25				
2ea. MAX Winch Tray Tow Hook 6/22				
***Off Road Lighting				
1ea. Quatro Supreme set - Red/Blue. 2/25				
***Lighting Package				
1ea. Liberty II DUO WECAN X Bar 54 Includes: CORE C399 siren controller, CCTL * control head, C399K* OBDII cable, straps and photocell. KB 026 3/25				
1ea. LIBERTY II DUO WCX 54 SEE LIGHTBAR DRAWING 3/25				
1ea. CENCOM CORE WCX CONTROL CENTER. Included in Bundle KB 026				
1ea. SCANport KIT FOR C399. Works for 24+ Silverado & Superduty 1/25				
1ea. WECANx 21 BUTTON/SLIDE CTRL HD. Included in Bundle KB 026				
***Console				
1ea. 12.5 Wide Flat 26 Vehicle-Specific Console for 2019-2022 Chevrolet Silverado and GMC Sierra. 9/24				
1ea. 1-Piece Equipment Mounting Bracket, 2.5 Mounting Space, Fits Motorola XPR4550, XPR4380, XPR4350 & XPR5550 radio. 9/22				
1ea. 1-Piece Equipment Mounting Bracket, 4 Mounting Space, Fits Whelen Cencom, CORE CCSRN, CCSRNTA, MPC03, CCTL7, CCTI6. 11/24				
1ea. Console Accessory Bracket With 2 Lighter Plug Outlets, 1 USB-C & USB Type A Dual Port Charger And 2 Blanks For Rectangular Accessories.				
1ea. Self-Adjusting Double Cup Holder to fit cups up to 3.5 in diameter.				
1ea. 3 Accessory Pocket, 2.5 Deep. 1/25 SP				
2ea. 4 Filler Plate 8/23				
1ea. 2-1/2 Filler Plate				
1ea. 8 Accessory Holder For 3.3 W Section Of Wide Consoles. 4/23				
2ea. Magnetic Mic 1/25				
1ea. Side Mount Armrest. 1/25 SP				
***Inverter				
1ea. KRI GER KR1500 1500W 12V Power Inverter with Dual 110V AC Outlets and Installation Kit				
***Weapon Mount				
1ea. S-T-Rail Mount 1 Universal Lock Handcuff Key 9/24				
***Prisoner Partition				

1ea. 20-23 Chevy Silverado 2500-3500 crew cab 10XL C Coated Poly Partition 3/25				
***Cargo Decked Unit				
GM Sierra or Silverado 2500 & 3500 (2020-current) - New wide bed width				
***Tail Flash				
1ea. Flashback Alternating Taillight Flasher, Solid State - 2.4 f.p.s. 1/25				
***Receiver Pull				
1ea. Receiver Shackle Bracket 10000 lbs. 3/25				
***Misc. / Labor				
2ea. 25 High Frequency Coax with FME Connector				
1ea. 135-174 Wideband Half Wave Mobile Antenna, 2.5 Gain 3/23				
1ea. LARSEN rain cap for NMO mount 3/23				
1ea. Ch27 Harness with Single Stage Smart Start Timer and 20 Outputs. (full size) 20 Ft. with timer, bracket, circuit breaker. 5/23				
Labor Cost by EVT Certified Installation Labor Cost				
Shipping of Materials				
WARRANTY				
Warranty Note: <<< Preliminary 2025 Warranty >>>				
Basic Years: 3				
Basic Miles/km: 36,000				
Drivetrain Years: 5				
Drivetrain Miles/km: 60,000				
Corrosion Years (Rust-Through): 6				
Corrosion Years: 3				
Corrosion Miles/km (Rust-Through): 100,000				
Corrosion Miles/km: 36,000				

Comply Minimum Spec: Qty.: 6 Unit Price: Upfit Price: Total Tax \$ Total \$ Approximate Delivery Date

**Request for Taxpayer
Identification Number and Certification**

Go to www.irs.gov/FormW9 for instructions and the latest information.

Give form to the
requester. Do not
send to the IRS.

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

Print or type. See Specific Instructions on page 3.	1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.)		
	2 Business name/disregarded entity name, if different from above.		
	3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only one of the following seven boxes. <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> C corporation <input type="checkbox"/> S corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership) _____ Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions) _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) _____ (Applies to accounts maintained outside the United States.)	
	3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions _____ <input type="checkbox"/>		
	5 Address (number, street, and apt. or suite no.). See instructions.	Requester's name and address (optional)	
	6 City, state, and ZIP code		
	7 List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number	
<input type="text"/>	<input type="text"/>
or	
Employer identification number	
<input type="text"/>	<input type="text"/>

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person _____	Date _____
------------------	--------------------------------	------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they

NAVAJO NATION CERTIFICATION
Regarding Debarment, Suspension, and
Contracting Eligibility

1. Applicant entity acknowledges that to the best of its knowledge that the Applicant entity, either in its present form or in any identifiable capacity, has not, in accordance with 12 N.N.C. § 361:
 - A. Been convicted of the commission of criminal offenses incident to obtaining or attempting to obtain a public or private contract or subcontract, or in the performance of any such contract or subcontract;
 - B. Been convicted of embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, or other offenses indicating a lack of business integrity or honesty, which currently, seriously, and directly affect responsibility as a Navajo Nation contractor;
 - C. Been convicted under antitrust statutes arising out of the submission of bids or proposals;
 - D. Violated contract provisions, including:
 - i. Deliberate failure, without good cause, to perform in accordance with the contract specifications or within the time limit provided in the contract,
 - ii. A recent record of failure to perform or of unsatisfactory performance with the terms of any contract, or
 - iii. Any other cause so serious and compelling as to affect responsibility as a Navajo Nation contractor, including debarment by another governmental entity.
2. Applicant acknowledges that if the Navajo Nation determines that the executed Certification provided herein is untrue or not wholly accurate, it shall be grounds for the Navajo Nation to terminate the contract and pursue other legal remedies, at the Navajo Nation's discretion.
3. Applicant certifies to the best of its knowledge that it is eligible to do business with the

Navajo Nation, in its present form or in any other identifiable capacity, pursuant to 12 N.N.C. § 1501 and 5 N.N.C. § 301. Applicant also acknowledges that per 12 N.N.C. § 1505, it will not be eligible to contract with the Navajo Nation if deemed ineligible by the appropriate department or entity of the Navajo Nation which receives the Applicant’s request for consideration for a business opportunity.

Applicant Name

Name of individual signing on Applicant’s behalf (print)

Applicant Address

Title of individual signing on Applicant’s behalf

Applicant Address

Signature of individual signing on Applicant’s behalf

Applicant Address

Date