## REQUEST FOR PROPOSAL (REBID) RFP NO: 25-06-3729GC

\_\_\_\_\_\_\_

The Navajo Nation Division of General Services (DGS) is seeking qualified suppliers to provide a bid proposal for Heavy Equipment and Machinery.

The proposal shall include one (1) original and three (3) duplicate copies of the following:

1. Fee Schedule in its own sealed envelope inside the bid packet. Clearly indicate "FEE SCHEDULE" on the sealed envelope.

The proposer who submits the best proposal in terms of best quality and lowest cost on the specified materials will be selected. Adherence to the bid instructions is paramount, otherwise, the bid will be disqualified for non-compliance.

The proposal shall be delivered, in person, in a sealed envelope to:

"2025 DGS Equipment"
(REBID) RFP #: 25-06-3729GC – DO NOT OPEN"
Attn: Shawnevan Dale, Division Director
Division of General Services
ADMINISTRATION BUILDING #1-2<sup>nd</sup> FLOOR
Window Rock Blvd., Window Rock, Arizona 86515

#### OR EXPEDITED MAIL TO:

Division of General Services
Attn: Shawnevan Dale, Division Director
Administration Building #1-Second Floor
2559 Indian Route 100
Window Rock, Arizona 86515
"2025 DGS Equipment"
(REBID) RFP #: 25-06-3729GC – DO NOT OPEN"

Bid documents and supplemental information (if applicable) regarding the project is available online at www.nnooc.org link: Purchasing. If there are any questions regarding this Request for Proposal call Shawnevan Dale at (928) 871-6311 or email at <a href="mailto:sdale@navajo-nsn.gov">sdale@navajo-nsn.gov</a>.

Then Navajo Nation reserves the right to reject any and all proposals not within the projected budget and may elect to award the contract not solely on the bid amount but the bidder's qualification. The due date for the proposal is *June 27, 2025*, at 5:00 pm, MST.

#### INSTRUCTIONS TO BIDDERS AND GENERAL INFORMATION

#### SCOPE OF WORK

Equipment must be new. Pricing shall include equipment, warranty, sales tax, freight, discounts, etc. Shipping and delivery are to the Navajo Nation Facility Maintenance Department in Fort Defiance, Arizona.

Delivery shall be made within <u>120</u> days after a purchase order has been issued. Specifications regarding warranty on materials shall be included in the proposal.

The Navajo Nation is not responsible for any "Down Time" including late delivery of materials, any act of negligence on the supplier's part, and any unforeseen occurrence. These are not billable to the Navajo Nation and will not be considered for payment.

#### **SPECIFICATIONS**

See Attached Specifications.

#### CONDITIONS GOVERNING THE INVITATIONS FOR BIDS

Must be an authorized and fully certified licensed dealership that meets all the standards and qualifications of the vehicle manufacturers. Since the Navajo Nation is a Sovereign government, all contracts entered shall comply with all Navajo Nation laws, rules, and regulations as well as applicable federal laws, rules, and regulations.

#### AWARD OF BID - REJECTION OF BID

The DGS reserves the right to accept bids all or in part. At the time of acceptance, the DGS also reserves the right to increase or decrease quantities of any item at the same price bid. The DGS reserves the right to reject any or all bids or to accept any bid that in its judgment will be in the best interest of the general public. It is the intention to award the contract to the lowest responsible bidder best meeting the requirement.

### PREFERENCE OF NAVAJO AND INDIAN-OWNED BUSINESS

Preference for Navajo and Indian-owned businesses will be given under the Navajo Nation Business Opportunity Act, 5 NNC §201 et. Seq. and the Navajo Nation Procurement Act 12 NNC §303. Certification of Navajo Owned Business will be assured by a certificate held by the Navajo Business Regulatory Department.

#### NAVAJO NATION SALES TAXES

All work performed within the territorial jurisdiction of the Navajo Nation is subject to the six percent (6%) Navajo Sales TAX. 24 N.N.C §601 et. Seq. The Navajo Nation shall withhold from each payment to the "CONTRACTOR" 6% of the total invoice amount associated with work performed within the Navajo Nation. This account reflects the Navajo Sales Tax due on such invoice amount. This 6% shall be transferred to the Office of the Navajo Tax Commission as a payment of the tax on behalf of the "CONTRACTOR".

#### **BID INSTRUCTIONS**

All bid proposals shall be submitted in a sealed envelope, marked, and addressed as follows:

"2024 DGS Equipment" (REBID) RFP #: 25-06-3729GC – DO NOT OPEN"

The name and address of the bidding firm should be shown in the upper left-hand corner of the envelope.

#### **EVALUATION AND CRITERIA**

Each bid must be accompanied by a letter of transmittal. The letter of transmittal shall contain the following:

- 1. Provide Statements of Qualifications (If Applicable).
- 2. Identify the name, title, and telephone numbers of the person authorized to negotiate on behalf of the organization.
- 3. Certified licensed dealership that meets all standards and qualifications.
- 4. Navajo Preference Certificate of Eligibility issued by the Navajo Business Regulatory Department.
- 5. Required Insurance documents, i.e. Certificate of Liability Insurance.
- 6. Completed and signed W-9 Form.
- 7. Completed and signed Navajo Nation Certification Regarding Debarment and Suspension.

The following point criteria will be used by the bid committee in the selection process for contract award. Proposals will be evaluated to determine the best vendor.

EVALUATION CRITERIA	POINTS
Bid Organization	
a. Typed proposal on 8-1/2" x 11" paper	10
b. Binding and Indexing	10
c. One Original bid with 3 copies	
Letter of Transmittal	1.5
a. Provide Statement of Qualifications	13

b. Identifying individual(s) as specified above				
c. Provide completed and signed documents, Certificate of General				
Liability, NN Debarment and Suspension, and W-9 Form.				
Conditions Governing the Invitation for Bids				
Must be an authorized and fully certified licensed dealership that meets	10			
all the standards and qualifications.				
Proposed Cost				
a. Equipment				
b. Warranty	60			
c. Extended warranty (with cost/without cost)				
d. Availability				
Total Possible Maximum Score	95			

#### **SCHEDULE OF ACTIVITIES**

#### **DEADLINE**

1.	Public Advertisement	June 9, 2025
2.	Proposals Submissions DUE	June 27, 2025
3.	Bid Opening	June 30, 2025 @ 10am (MDST)

#### AVAILABILITY OF BID DOCUMENTS

Bid Proposal documents are available on the website at <a href="www.nnooc.org">www.nnooc.org</a> and at the Navajo Nation Division of General Services located at the Administration Building #1-2<sup>nd</sup> Floor, Window Rock, Boulevard, Window Rock, Arizona 86515 between the hours of 8:00 A.M. and 5:00 P.M. (MST) Monday through Friday. For more information, contact *Shawnevan Dale*, *Division Director* at (928) 871-6311.

#### **PROPOSAL SUBMISSION**

Sealed bid proposals shall be submitted to the Navajo Nation Division of General Services, Administration Building #1-Second Floor, 2559 Indian Route 100, Window Rock, Arizona 86515 before 5:00 p.m. on June 16, 2025. Respondents who are expedited mailing their proposals should allow sufficient time for expedited mail delivery to ensure receipt by the time specified. Late proposals will not be accepted.

#### **BID OPENING**

The Bid Opening meeting is scheduled for June 30, 2025 @ 10:00 am. The location will be at the Division of General Services, Window Rock, AZ 86515.

#### WITHDRAWAL OF BID

No bid proposal shall be withdrawn for 60 calendar days after the opening of the bid without the consent of the owner.

#### **DEVIATIONS**

All specifications listed are intended to be preferred design and performance. Where deviations from the specification are necessary, the bidder will render equivalent reliability or performance. If there is insufficient room for detailing deviation, please indicate "see deviation" and attach, clearly indicating the bullet number on any such attachments. Failure to detail all such deviations will provide a basis for rejection of the entire proposal. Substantial deviations will not be considered.

### **SPECIFICATIONS**

# <u>**Dual Tandem Axle Gooseneck Trailer (35')**</u> Product: Big Tex 3XGN Super Duty

Axles	2 - 15,000# Dual Wheel w/ Oil Bath & Valcrum Caps
Brakes	Forward Self-Adjusting Electric Brakes on Both Axles
Suspension	Heavy Duty 44,000# Adjustable
Coupler	2-5/16" Ball, Adjustable Square Crank
Safety Chains	1/2" Grade 80 w/ Safety Latch Hook (2 ea)
Jack	Dual Two Speed Landing Gear- 50K lbs. Capacity (Bolted On)
Frame	12" I-Beam, 22# up to 30'. 14" I Beam on 30'+ Long
Cross-Members	6" I-Beam, 16" Centers
Floor	Treated Pine Floor
Ramps	5' Double Hinged Spring Assist Flip-Over Ramps, (STA Models Do
	Not Include Ramps)
Dovetail	5' Cleated Dovetail (Standard on D5A Models)Straight Deck (available
	on 36' and 40' lengths)
Stake Pockets	Stake Pockets Along Both Sides, 24" O.C. (Quantity Varies by Length)
Trailer Plug	7-Way RV
Lights	Recessed, Grommet-Mounted L.E.D. Lighting
Wiring	Sealed, Modular Cold-Weather Wiring Harness
Tires	ST215/75 R-17.5 Load Range H (Dual)
Bolt Pattern	8-Bolt
Wheels	17.5" HC x 6.75", 8x275 MM BC Hub Pilot; Dual Wheel
Spare Mount	Top of Neck Spare Tire Mount
Spare Tire	Spare Tire & Wheel (ST215/75 R-17.5 LR-H)
Paint Type	Professional Finish w/ Primer Standard
Paint Color	Black
Rubrail	3/8" Heavy Duty Rub Rail on Both Sides
Break-Away Kit	Complete Breakaway System w/ Zip <sup>TM</sup> Breakaway Cable and Charger
Mudflaps	Standard
Storage	Front Lockable Toolbox Uprights
Cargo Winch	Sliding Winch Track (standard on Trailer 28' or Longer)
Pipe Chain Spools	1-1/4" Pipe Chain Spools Between Stake Pockets Pockets
Steps & Handles	(2) Retractable Side Bed Steps + Handles
Twist Guard <sup>TM</sup>	Included on trailers 28' and Longer

# <u>Tandem Dual Gooseneck Dump Trailer (20')</u> Product: Big Tex 25DU

Axles	2 - 10,000# cambered axles with Oil Bath and Valcrum Caps	
Brakes	Forward Self-Adjusting Electric Brakes on Both Axles	
Suspension	Heavy-Duty 30,000#, Adjustable	
Tongue	12" I-Beam	
Coupler	Square, Adjustable Crank 2-5/16" Gooseneck Coupler	
Safety Chains	3/8" Grade 70 w/ Safety Latch Hook (2 ea)	
Jack	Dual 12,000# Drop-Leg Jack (Side Wind)	
Frame	12" I-Beam	
Cross-Members	3" Channel on 16" Centers	
Floor	7 Gauge Smooth Steel	
Ramps	Not Included	
Stake Pockets	Stake Pockets Along Both Sides (Quantity Varies by Length)	
Trailer Plug	7-Way RV	
Lights	Recessed, Grommet-Mounted L.E.D. Lighting	
Wiring	Sealed, Modular Cold-Weather Wiring Harness	
Tires	ST235/80 R-16 Load Range E Radial Tires (Dual)	
<b>Bolt Pattern</b>	8-Lug	
Wheels	Black Mod Steel	
Spare Mount	Side Spare Tire Mount	
Spare Tire	Spare Tire & Wheel (ST215/75 R-17.5 LR-H)	
Paint Type	Professional Finish w/ Primer Standard	
Paint Color	Black	
Tie-Downs	(4) 5/8" D-Rings Inside Bed to Secure Equipment Along Sides and Rear for Cargo Control	
Break-Away Kit	Complete Breakaway System w/ Zip Breakaway Cable	
Battery	12V Deep Cycle	
Charger	5A 110V on Board Battery Charger	
Gate	Double Rear Doors	
J-Hooks	Along sides and rear for Cargo Control	
Mudflaps	Standard	
Power	Power Up/Gravity Down Movement	
Ram	Self-Contained Scissor	
Sides	48" Tall (12 Ga) with formed Channel Supports	
Stabilizers	Rear Stabilizer Stands	
Storage	Lockable Pump and Battery Box mounted between front Jacks	
Tarp	Fully Formed Tarp Shroud	
Top Rail	4"x 2" Rectangular Tubing	

Car Hauler Trailer (18')
Product: Big Tex 10DM

Axles	2 - 5,200# Premium, Cambered Axles with Quick-Lubricating Hubs
Brakes	Forward Self-Adjusting Electric Brakes
Suspension	Multi-Leaf Spring w/ Equalizer
Coupler	2-5/16" Demco EZ Latch
Safety Chains	1/4" Grd. 70 w/Safety Latch Hook (2 each)
Jack	8,000# Top Wind, Set-Back Jack (Bolted on)
Frame	5" x 2"x .188" Rectangular Tubing
Cross-Members	3" Channel
Front Stop Rail	3/16" Fabricated Front Stop Rail
Floor	1/8" Diamond Plate
Ramps	5' Rear Slide-In Channel Ramps with Stabilizers
Dovetail	Integrated Dovetail
Stake Pockets	
Trailer Plug	7-Way RV
Lights	L.E.D. D.O.T. Stop, Tail, Turn & Clearance
Wiring	Grommet-Mounted Lifetime L.E.D. Lighting
Tires	ST205/75 R-15 Load Range C
<b>Bolt Pattern</b>	5 Bolt
Wheels	Aluminum Wheels
Spare Mount	Side Spare Tire Mount
Spare Tire	
Paint Type	Professional Finish w/ Primer Standard
Paint Color	Black
Tie-Downs	(4) Recessed D-Rings
Storage	
Front Rock Shield	Front Rockshield (Aluminum Tread Brite)

### Single Axle Utility Trailer (7'x 12')

Approximate	
Trailer Size (W x	7 x 12
L) ft.	
Axle Size	3,500 lb. with Quick Lube 93-80
Coupler Size	2" A -Frame
<b>Empty Weight</b>	950 lb.
Floor Material	Wood
Frame Material	Steel
Gate Width	79 in.
Gross Vehicle	2,990 lb.
Weight Rating	2,990 10.
Hitch Type	Not Specified
Number of Axles	1
Number of Ramps	1
Ramp Type	Back
Rear Door Style	Ramp
Tire Size	15 in. ST 205 75 Bias Black Mod Wheel
<b>Tongue Length</b>	47.5 in. front of coupler -front rail
<b>Tongue Type</b>	A-Frame, 3 in. Steel Channel
Trailer Bed Length	12 ft
Trailer Bed Width	7 ft
Trailer Features	Highway Rated, DOT Approved, Wood Floor, Jack Included, Ramp Included, Mesh High Sides
Trailer Max Load Capacity lb.	2040

TOTAL Equipment:  $\underline{4}$  (1 item each).