## **REQUEST FOR PROPOSAL**

BID DUE DATE:	July 18, 2025	(5:00 pm MDST)
DESCRIPTION:	Invitation for Bids for Fleet vehicles BID NO. <u>25-07-3762SB</u>	
CONTACT PERSON:	Raymond Holyan, Department Mana Fleet Management Department Division of General Services THE NAVAJO NATION Telephone Number: (928) 871-6662 Fax Number: (928) 871-7038	-
RETURN ALL RESPONSES	S TO:	
DELIVER TO:	THE NAVAJO NATION Fleet Management Department Building 2749, Indian Route 100 Window Rock, Arizona 86515 ATTN: Verna S. Yazzie BID NO. <u>25-07-3762SB</u>	
	OR	
MAIL TO:	THE NAVAJO NATION Fleet Management Department Post Office Box 608 Window Rock, Arizona 86515 ATTN: Verna S. Yazzie BID NO. <u>25-07-3762SB</u>	
(Must identify Bid# a	and Company Name on the outside of a	sealed envelope)
envelope, with the fol Prop No facsimile, Bid shall include	nd two extra (2) copies of your bid to b lowing attachments: <u>2025 W-9</u> , and <u>NN</u> posals will not be accepted after deadlin electronic or telephone proposals will be evenicle & upfit pricing into One comp ment Department follows the Navaio Nation	<u>N Debarment form</u> . ne pe accepted plete price bid

Navajo Nation Fleet Management Department follows the Navajo Nation Business Opportunity Act. <u>https://www.nnooc.org/request-for-proposals/</u>

#### A. <u>PURPOSE OF THIS REQUEST FOR PROPROSAL (RFP)</u>

The Navajo Nation Fleet Management Department within the Division of General Services is seeking to purchase forty-five (45) 2025/2026 SSV SUV Police Vehicles 4 WD w/ Police Upft. The specification is attached by exhibits (A), please review carefully. All respective auto dealers must be from an authorized and fully certified licensed automotive dealership that meets all the standards and qualifications from the vehicle manufactures in terms of facilities, equipment, parts, tools and trained technicians to handle all required services. Vehicles must be delivered in a timely manner as bid evaluation will be based on most responsive bid. Bid price shall be F.O.B. (Freight on Board) to Window Rock and to the designated delivery point at Fleet Management Department. Vehicles shall be delivered to the Navajo Nation free from any purchase money or other lien or security interest not withstanding any applicable Navajo Nation sales Tax. The manufacturer's published warranty for each vehicle shall apply to all vehicles purchased by the Fleet Management Department.

#### B. <u>CONDITIONS GOVERNING THE PROCUREMENT</u>

Bid price shall be effective on date of award and the availability of funds will determine the number of vehicles to be purchased, and <u>additional Navajo Nation procurement for like-kind and quality</u> <u>of vehicle, also qualified for bid price.</u> Fleet Management personnel will make on-site visits to either manufacturer's/bidder's facilities, as needed, to ensure compliance with specifications are met, or approve any deviations, if necessary.

Time schedule for advertisement and deadline for bid submissions will follow the chart as indicated:

Advertise Request for Proposal	DATE: July 3, 2025
Deadline for RFP Submittals	DATE: July 18, 2025
Official Opening Bid Proposals	DATE: July 21, 2025
Award Bid	DATE: June 23, 2025 (Tentatively)

The dates on the time schedule are all tentative, any changes will be at the discretion of Fleet Management Department.

The respective bidder must disclose upfit vendor, location, and pricing of all upfit parts and installation fees. Schematics of wiring diagram shall be submitted once bidder is identified. Pricing of the upfit should match the specification/price sheet on exhibit A.

A selection criterion will be used to determine an adequate responsive bidder and they are as follows:

Criteria	Weighted Points
Responsiveness/Complete Bid Submission	5 POINTS
Pricing	5 POINTS
Specification	5 POINTS
Vehicle Availability	5 POINTS
Total	20 POINTS

The respective bidder shall include the Navajo Nation Sales Tax, 6% on all goods and services pertaining to this proposal, Navajo Nation sales tax (6%) [24 NNC § 601et seg.]. For more information or specific questions regarding the applicable sales tax, please contact the Office of the Navajo Tax Commission, Compliance Department at 928-871-6681.

Fleet reserves the right to reject any and all proposals.

All upfit personnel must be EVT (Emergency Vehicle Technician) certified to perform emergency equipment installation and repairs.

The Navajo Nation Fleet Management will receive, at time of delivery of vehicles, all pertinent documents necessary for titling and licensing vehicles, documents include Manufacturer's Statement of Origin, Odometer statement. Provide schematics of the upfit. Only Fleet Management will be responsible for registering all vehicles through the Navajo Nation Property Management Department.

The Navajo Nation is a sovereign government and all contracts entered because of the RFP shall comply with the Navajo Nation Laws, rules and regulations, Navajo Business Opportunity Act and including the Navajo Preference in Employment Act, and applicable federal law, rules, and regulations.

#### C. <u>SPECIFICATIONS</u>

See the following attachments (exhibit A -2025/2026 SSV SUV Police Vehicles 4 WD w/ Police Upfit. The specifications detail for each class of vehicle and required quantity, including upfits (police units) and any additional not included in exhibits. Bid price must meet minimum specification or exceed minimum specifications. Bid must note any exceptions.

# FLEET MANAGEMENT DEPARTMENT Vehicle Acquisition

#### Bid Number:

### 2025/2026 Vehicle Specifications

Vehicle			
<u>Class</u>		Description	<u>Quantity</u>
XI	2025/2026	SSV SUV Police Vehicles 4WD W/ Police	
		Upfit - CK 10706 Model or Equal	45

**Total:** <u>45</u>

## FLEET MANAGEMENT DEPARTMENT Vehicle Acquisition

#### Bid Number:

### 2025/2026 Vehicle Specifications

Vehicle <u>Class</u>	Description	<u>Quantity</u>
XI	2025/2026 SSV SUV Police Vehicles 4WD W/ Police Upfit - CK	
	10706 Model or Equal	45

**Total:** <u>45</u>

Class XI			Ext	ibit A
2025/2026 SSV SUV Police Vehicles 4WD W/ Police Upfit				1
				1
CK10706 Model or Equal				4
Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN	4
MECHANICAL				4
Emissions, Federal requirements				4
Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct				1
Injection and Variable Valve Timing, includes aluminum block construction				4
(355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm)				4
Transmission, 10-speed automatic electronically controlled with				1
overdrive, includes Traction Select System including tow/haul (5W4)				1
Special Service Vehicle.)				4
Rear axle, 3.23 ratio	,			4
Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD	)			4
Suspension, Premium Smooth Ride				4
GVWR, 7,600 lbs. (3447 kg) (4WD models only.) (STD)				4
Tires, 265/65R18SL all-season, blackwall				4
Paint Color - Summit White				4
Push Button Start				4
Air filter, heavy-duty				4
Air filtration monitoring				4
Transfer case, two-speed electronic shift with push button controls				1
Auto-locking rear differential				1
Four wheel drive				1
Cooling, external engine oil cooler				1
Cooling, auxiliary external transmission oil cooler				1
Battery, 850 cold-cranking amps with 95 amp hour rating (Included and				1
only available with (9C1 ) Police Vehicle or (5W4) Special Service Vehicle.)				1
Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating				1
(packaged behind left rear cargo area panel) (Included and only available				1
with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)				1
Remote Keyless Entry Package includes 4 additional transmitters				1
Wiring provision, for outside mirrors and cargo side mirrors (Included and				1
only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)				1
Ground wires, blunt cut cargo area and blunt cut console area (Included				1
and only available with (9C1) Police Vehicle or (5W4) Special Service				1
Vehicle.)				
Fuel, gasoline, E 15				
Transfer case, active, single-speed, electronic Autotrac does not include				1
neutral.				1
Differential, mechanical limited-slip				
4-wheel drive				1
Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver				1
side of radiator.				
Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil				1
Trailering equipment includes trailering hitch platform, 7-wire harness				1
with independent fused trailering circuits mated to a 7-way connector				1
and 2" trailering receiver.				1
Trailer sway control				1
Hitch Guidance				1
Suspension, front coil-over-shock with stabilizer bar				1
Suspension, rear multi-link with coil springs				1
Steering, power				1
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			1	1

Exhaust, single-outlet          Mechanical Jack with tools          Mechanical Jack with tools          ExtreRUOR          Spotlamp, left-hand (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.          Fascia, front high-approach angle (5W4) Special Service Vehicle.          Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)          Tires, 265/56R185L all-season, blackwall          Wheels, full-size spare, 17" (43.2 cm) steel          Tire, spare 72 (265/70R12 all-season, blackwall          Wheels, silters, lockable outside spare, winch-type mounted under frame at rear          Fead          Assist steps, Black with chrome accent strip          Headlamps, LED          Tail lamps, LED          Mirror caps, body-color          Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver - and front passenger-side          Glass, acoustic, laminated          Glass, acoustic, laminated	Exhib	υπ Α
EXTERIOR		
Spotlamp, left-hand (Requires (9C1) Police Vehicle or (5W4) Special          Service Vehicle.          Fascia, front high-approach angle (5W4) Special Service Vehicle.          Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)          Tires, 255/65R18SL all-season, blackwall          Wheel, full-size spare, 17" (43.2 cm) steel          Tire, paper 265/70R17 all-season, blackwall          Tire carrier, lockable outside spare, winch-type mounted under frame at rear          rear          Assist steps, Black with chrome accent strip          Headlamps, LED          Mirrors, outside heated power-adjustable, manual-folding, body-color          Mirror caps, body-color          Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side          Glass, acoustic, laminated		
Service Vehicle.       Image: Construint igh-approach angle (SW4) Special Service Vehicle.         Fascia, front high-approach angle (SW4) Special Service Vehicle.       Image: Construint is the i		
Fascia, front high-approach angle (5W4) Special Service Vehicle.       Image: Constraint of the system		
Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)       Image: Constraint of the system of	-	
Tires, 265/65R18SL all-season, blackwall       Image: season, blackwall         Wheel, full-size spare, 17" (43.2 cm) steel       Image: season, blackwall         Tire, spare P265/70R17 all-season, blackwall       Image: season, blackwall         Tire carrier, lockable outside spare, winch-type mounted under frame at rear       Image: season, blackwall         Assist steps, Black with chrome accent strip       Image: season, blackwall         Headlamps, LED       Image: season, blackwall         Tail lamps, LED       Image: season, blackwall, season, blackwall         Mirrors, outside heated power-adjustable, manual-folding, body-color       Image: season, blackwall, season, blackwall         Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: season, blackwall         Glass, acoustic, laminated       Image: season, blackwall       Image: season, blackwall	-	
Wheel, full-size spare, 17" (43.2 cm) steel       Image: constant of the spare s	-	
Tire, spare P265/70R17 all-season, blackwall       Image: spare spare, winch-type mounted under frame at rear         Tire carrier, lockable outside spare, winch-type mounted under frame at rear       Image: spare	-	
Tire carrier, lockable outside spare, winch-type mounted under frame at rear       Image: Construction of the spare of th	_	
rearImage: Constraint of the constraint o	_	
Assist steps, Black with chrome accent strip       Image: LED         Headlamps, LED       Image: LED         Tail lamps, LED       Image: LED         Mirrors, outside heated power-adjustable, manual-folding, body-color       Image: LED         Mirror caps, body-color       Image: LED         Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: LED         Glass, acoustic, laminated       Image: LED		
Headlamps, LED       Image: Constraint of the steed power-adjustable, manual-folding, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Mirror caps, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Glass, acoustic, laminated       Image: Constraint of the steed power-adjustable, manual-folding, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color	_	
Tail lamps, LED       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Mirror caps, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Mirror caps, body-color       Image: Constraint of the steed power-adjustable, manual-folding, body-color         Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: Constraint of the steed power-adjustable         Glass, acoustic, laminated       Image: Constraint of the steed power-adjustable       Image: Constraint of the steed power-adjustable	—	
Mirrors, outside heated power-adjustable, manual-folding, body-color       Image: Color State Stat	_	
Mirror caps, body-color       Image: Color Color         Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: Color Col	_	
Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side       Image: Constant of the second secon		
and driver- and front passenger-side Glass, acoustic, laminated		
Glass, acoustic, laminated		
	$\neg$	
	_	
	_	
Windshield, solar absorbing         Wipers, front intermittent, Rainsense		
Wiper, rear intermittent with washer		
Door handles, body-color		
Liftgate, rear manual		
Recovery hooks, 2 front, frame-mounted, Black (Requires (9C1) Police		
or (5W4) Special Service Vehicle.	_	
Paint Color - Summit White	_	
IntelliBeam, automatic high beam on/off	_	
INTERIOR/COMFORT		
Seats, front 40/20/40 split-bench (Included and only available with (9C1)		
Police Vehicle and (5W4) Special Service Vehicle.)	_	
Seats, front cloth and second row vinyl (Requires (9C1) Police Vehicle or		
(5W4) Special Service Vehicle. On 4WD model, not available with (A50)		
front bucket seats.)		
Seat Type - Jet Black, Cloth seat trim (5W4) Special Service Vehicle		
Seat adjuster, driver 8-way power	_	
Seat adjuster, driver 2-way power lumbar	_	
Seats, second row 60/40 split-folding bench, manual		
Floor covering, Black rubberized vinyl		
Electronic Precision Shift		
Steering column lock, electrical		
Steering column, manual tilt and telescopic		
Steering wheel, vinyl		
Steering wheel controls, mounted audio, Driver Information Center,		
Adaptive Cruise Control, Forward Collision Alert		
Keyless Open includes extended range Remote Keyless Entry		
Window, power with driver Express-Up/Down		
Windows, power with rear Express-Down		
Theft-deterrent system, electrical, unauthorized entry		
Display, automatic occupant sensing		
Wireless Phone Charging, for portable devices		
USB ports, 2 type-A and C, charge and data, located on front console		
Air conditioning, tri-zone automatic climate control with individual climate		

settings for driver, right front passenger and rear seat occupants		Fxt	ibit A
Air conditioning, rear			
Defogger, rear-window electric			
Power outlets, 2, 120-volt, located on the rear of the center console and			
rear cargo area			
Sill plates, bright, front and rear door			
Mirror, inside rearview manual day/night			
Assist handles, overhead, driver and front passenger, located in headliner			
Lighting, interior with dome light, driver- and passenger-side door switch			
with delayed entry feature, cargo lights, door handle			
Cargo management system			
Radio - Audio system, 17.7" diagonal advanced color LCD display with			
Google built-in compatibility.			
Calibration, Surveillance Mode interior lighting (Included and only available			
with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)			
Instrumentation, analog with certified 140 mph speedometer, odometer			
with trip odometer, engine hour meter, fuel level, voltmeter, engine			1
temperature, oil pressure and tachometer (Included and only available			1
with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)			1
Power supply, 100-amp, auxiliary battery, passenger compartment wiring			
harness (Included and only available with (9C1) Police Vehicle or (5W4)			
Special Service Vehicle.)			
Power supply, 120-amp, (4) 30-amp circuit, Primary battery, relay			
controlled, passenger compartment harness wiring (Included and only			
available with (9C1 ) Police Vehicle or (5W4) Special Service Vehicle.)			
Theft-deterrent system, vehicle, PASS-Key III (Included and only available			
with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)			
Seat delete, third row (Included and only available with (9C1) Police			
Package or (5W4) Special Service Package.)			
Key, unique Included and only available with (9C1) Police Vehicle or (5W4)			
Special Service Vehicle.)			
Lock control, driver side auto door lock disable (Included and only available			
with (9C1 ) Police Vehicle or (5W4) Special Service Vehicle.) Cruise control, electronic with set and resume speed (Included and only			
available with (9C1 ) Police Vehicle or (5W4) Special Service Vehicle.)			
Speedometer calibration (Included and only available with (9C1 ) Police			
Vehicle or (5W4) Special Service Vehicle.)			
Audio system, 17.7" diagonal advanced color LCD display with Google			
built-in compatibility			
Audio system feature, 6-speaker system			
Bluetooth for phone personal cell phone connectivity to vehicle audio			
system			
5G Wi-Fi Hotspot capable			
Wireless Apple CarPlay/Wireless Android Auto			
SAFETY/MECHANICAL			
Skid Plates protect the oil plan, front axle and transfer case			
1 FL Safety Package includes (UEU) Forward Collision Alert, (UKM)			
Enhanced Lane Keep Assist with Lane Departure Warning, (UK') Blind			
Zone Steering Assist			
Automatic Emergency Braking, (UFB) Rear Cross Traffic Braking, (UKT)			
Front Pedestrian and Bicyclist Braking, (CT B) Intersection Automatic			
Emergency Braking.			
Rear Camera Mirror and (TQ5) IntelliBeam headlamps (Requires (9C1)			
Police Vehicle or (5W4) Special Service Vehicle.)			
Calibration, taillamp flasher, Red/White (Included and only available with			
-	•		-

(QC1) Delice Vehicle or (EWA) Special Service Vehicle )	1 1	I. –	I.i
(9C1 ) Police Vehicle or (5W4) Special Service Vehicle.) Calibration, taillamp flasher, Red/Red (Included and only available with	<b>├───</b>	L Fx1	ibit A
(9C1 ) Police Vehicle or (5W4) Special Service Vehicle.)			1
Flasher system, headlamp and taillamp, DRL compatible with control wire		4	I
(Included and only available with (9C1) Police Vehicle or (5W4) Special			I
Service Vehicle.)			I
	<b>├───</b>	4	I
Enhanced Automatic Emergency Braking SAFETY/EXTERIOR			1
Active Hill Hold Assist (Included and only available with (9C1) Police Vehicle	<u> </u>		I
or (5W4) Special Service Vehicle.)			1
Seat belts, 3-point, all seating positions (Included and only available with		4	I
			I
(9C1) Police Vehicle or (5W4) Special Service Vehicle.)	<u> </u>		1
Airbags, Frontal airbags for driver and front outboard passenger; Seat-	1		I
mounted side-impact airbags for driver and front outboard passenger;			I
Head-curtain airbags for all rows in outboard seating positions.			I
Rear Parking Assist			I
Forward Collision Alert	<b>├───</b>	l	I
Rear Cross Traffic Braking	<b>├───</b>	l	1
Blind Zone Steering Assist		l	I
Lane Keep Assist with Lane Departure Warning	<u> </u>	<u> </u>	1
Protected idle allows vehicle engine to remain idling and vehicle SAFETY/INTERIOR		<u> </u>	I
	<b>├───</b>	l	I
Airbags, Frontal airbags for driver and front outboard passenger; Seat-			I
mounted side-impact airbags for driver and front outboard passenger;			I
Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for			1
all rows in outboard seating positions	<u>                                     </u>	<u> </u>	1
Front outboard Passenger Sensing System for frontal outboard passenger			1
airbag		<u> </u>	I
Hill Start Assist	<b>├───</b>	l	I
Enhanced Automatic Parking Assist HD Surround Vision	<b>├───</b>	l	I
Rear Camera Washer	<b>├───</b>	l	I
		4	I
Rear Pedestrian Alert			I
Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does			I
not apply to spare tire) OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with	<b>├───</b>	l	I
	1		I
core OnStar services including remote commands, built-in voice			I
assistance, real-time traffic and navigation, and Automatic Crash			I
Response to help if you're in need. (OnStar Basics includes remote			I
commands, Navigation, Voice Assistance, and Automatic Crash	1		1
Response, for eligible vehicles with compatible sofMare. For MY25			I
vehicles, OnStar Basics is standard for 8 years; OnStar plan, working			i
electrical system, cell reception and GPS signal required. OnStar links			i
to emergency services. Service coverage varies with conditions and			i
location. Service availability, features and functionality vary by device			i
and software version. See onstar.com for details and limitations.)	<b>↓</b>		I
Upfit Police Package	<b>└───</b>		I
***Front of Unit***Locate below grille on facia	<b>↓</b>		I
2 ea MEGA T-Series Trio Flasher RBW. 1/25 - Whelen	<b>↓</b>		i
***Locate on side fog panel.	<b>└───</b>		i
2 ea. T-SERIES SURFACE MT IRIO R/B/W 6/25 Whelen			i
1 ea. Chevy Tahoe 2021 +, Driver or Passenger Side. 1/25 Whelen			I
2 ea. Siren speaker, Not a Package, 123db. KB026. 1125 - Whelen			i
***SIDE LIGHTING			i
4 ea. MEGA T-Series Trio Flasher RBW. 1125 - Whelen			i

***SPOT UGHT	Exti	ibit A
1 ea. ProFocus"™, Select from Spot'Flood Combination Light or Floodlight		
from the Control Head PROMO# KB 026 1/25 - Whelen		
1 ea. DRVR FENDER MT 2021 TAHOE 1/25 - Whelen		
1 ea. DRVR FENDER MT 2021 TAHOE 1/25 - Whelen		
1 ea. Equipment Mounting Bracket for Whelen Arges Remote Spotlight		
Control Head 6/25 - Havis		
***Driver Door Open Light, On Only When In Code		
1 ea. Sequencing Light, Amber, 6 Sequencing Patterns, 11 Flashing		
Patterns, Clear Lens. 1125 - Whelen		
***LIGHTBAR PACKAGE		
1 ea. Liberty II TRIO WeCanX Lightbar, 54" Super Takedowns. CORE C399		
controller C399K* OBDII cable, Straps, Photocell. 6/25 - Whelen		
1 ea. Liberty II TRIO WCX . See Drawing 6/25 - Whelen		
1 ea. Justice 56" Standard. 4/24 - Whelen		
1 ea. CENCOM CORE WCX CONTROL CENTER. Included in Bundle KB 026.		
1125 - Whelen		
1 ea. WeCanX 21 BUIT ON/SLIDE CTRL HD. Included in Bundle KB 026.		
l/25 - Whelen		
1 ea. SCANport KIT FOR C399. 1/25 - Whelen		
1 ea. Vehicle to Vehicle SYNC module, installed in lightbar. 1125		
2 ea. New! 16 Output, 4 Input WeCan.Xnt Expansion Module. KB 026.		
1125 - Whelen		
2 ea. CEM16 output harness kit, J-6 (8'), J-5 (8'). 5 /25 - KBruceCo		
***CELL BOOSTER		
1 ea. Best Model weboost Drive Reach Fleet. Using our most powerful		
cell signal booster, Drive Reach Fleet reaches cell towers up to 76%		
farther than Drive X; optimizing vehicle tracking and driver		
communications in remote areas. With its high-performance NMO		
antenna Drive Reach Fleet lets drivers and their crews stay in constant		
contact with dispatch and fleet managers; while improving overall		
cellular connectivity. 5/25		
1ea Stinger DS (Dual Switch) LED 120V AC/12V DC with PiggyBack Charger.		
AZDPS2/25 - Streamlight		
***CONSOLE		
1 ea. Speaker 7.5 WREMOTE 5/25 - Motorola		
1 ea. Angled Console for 2025 Chevrolet Tahoe Police Pursuit Vehicle		
1 ea. 6" Accessory Pocket W/Hinged Lid & Lock, 4.5" Deep 5/25		
1 ea. External Mount Self-Adjusting Cup Holder. Self-adjusts to fit cups up		
to 3.5 inches in diameter. 5/25 - Hais		
1 ea. Molded Armrest To Mount To Tunnel-Mount Base. 5/25 - Havis		
1 ea. I-Piece Equipment Mounting Bracket, 2.5" Mounting Space, Fits		
Motorola XPR 4550 5/25 - Havis Shield		
1 ea. I-Piece Equipment Mounting Bracket, 4" Mounting Space, Fits		
Whelen Cencom CORE CCSRN, CCSRNTA, MPC03, CCTL7, CCTI6. 6/25		
1 ea. Magnetic Mic 1/25		
1ea. Mic Clip Bracket. 8/24 SP		
1 ea. Console Accessory Bracket With 2 Lighter Plug Outlets, 1 USB-C &		
USB Type A Dual Port Charger And 2 Blanks For Rectangular Accessories.		
6/25 SP - Havis		
***CONFIRM COMP?***		
1 Docking Station For Getac VI 10 Convertible Notebook With Triple Pass-		
Thru Antenna Connections 5/25 - Havis		
***NO POWER SUPPLY***		

1 ea. 8.5" Heavy Duty Telescoping Pole, Side Mount. 6/25 - Havis	F vH	ibit
1 ea. 11" Slide Out Locking Swing Arm with Low Profile Motion Adapter.		IDIC
5/25 - Havis		1
***Weapon Mount		1
1 ea. Tri-lock weapon mount, partition mounted 6/25 - Pro-Gard		1
***Prisoner Containment		1
1 ea. Prisoner Containment Sliding Window Coated Polycarbonate With		1
Expanded Metal Window Security Screen Flat Panel - Setiaa		1
1 ea. Partition" 5/25 "Window Barrier Steel Vertical		1
1 ea. TPO Door Panels Black Fits over OEM door panels. Tahoe 2021-		1
***Driver and Rear Compartment		1
2 ea. 3 inch Round Compartment Light Combination Red-Clear. 1/25 1 ea. 3" Round Compartment light. White promo kb026 6/25		1
1 ea. 3 Round Compartment light. White promo kb026 6/25 1 ea. #12VS 2ND EXPANDED METAL PARITITON. 21-24 TAHOE. 9/24		1
***Cargo Box, Electronics Tray over storage.		1
1 ea. FEU Installation Base - Slide Back Base -Spare Tire Access -Option B		1
Powder Coat Sliding Door BlackAluminum Construction 6125		1
1 ea. 20"H x 44"W x 36'D STACKED RADIO DRAWER. Radio Drawer on		1
top. Must order base. 5/25		1
***Rear Lighting		1
2 ea. MEGA T-Series Trio Flasher RBW. 1/25 - Whelen		1
1 ea. Flashback Alternating Taillight Flasher, Solid State - 2.4 fp.s. 1/25		1
***Rear Hatch Open Lighting		1
2 ea. ION T-SERIES LINEAR TRIO R/B/W PROMO# KB026 1/25		1
***Misc. I Labor		1
1 ea. Ch27 Harness with Single Stage Smart Start Timer and 20' Outputs. ( full size) 20 Ft with timer, bracket, circuit breaker. 5/25		
1 ea. Graphics		i –
1 ea. EVT Certified Installation Labor Misc Shop Supplies and Materials		1
88 hours EVT Certified Installation Labor		I
WARRANTY		-
Warranty Note: <<< Preliminary 2025 Warranty >>>		_
Basic Years: 3		_
Basic Miles/km: 36,000		_
Drivetrain Years: 5		-
Drivetrain Miles/km: 60,000		_
Corrosion Years (Rust-Through): 6		_
Corrosion Years: 3		-
Corrosion Miles/km (Rust-Through): 100,000		-
Corrosion Miles/km: 36,000		

Comply Minimum Spec:	Qty.:	_Unit Price:	_ Upfit Price:	_ Total Tax \$	Total \$	Approximate Delivery	Date
----------------------	-------	--------------	----------------	----------------	----------	----------------------	------

Form <b>W-9</b>
(Rev. March 2024)
Department of the Treasur
Internal Revenue Service

#### Request for Taxpayer Identification Number and Certification

Go to www.irs.gov/FormW9 for instructions and the latest information.

Before	Before you begin. For guidance related to the purpose of Form W-9, see Purpose of Form, below.								
	1	Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner' entity's name on line 2.)	1, and enter the business/disregarded						
	2	Business name/disregarded entity name, if different from above.							
Print or type. c Instructions on page 3.	3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only one of the following seven boxes.         Individual/sole proprietor       C corporation       S corporation       Partnership       Trust/estate         LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership)       Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner.         Other (see instructions)		Frust/estate	Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):     Exempt payee code (if any)     Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any)					
P See Specific	3b	If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax class and you are providing this form to a partnership, trust, or estate in which you have an ownership interes this box if you have any foreign partners, owners, or beneficiaries. See instructions	(Applies to accounts maintained outside the United States.)						
	5	Address (number, street, and apt. or suite no.). See instructions.	uester's name a	e and address (optional)					
	6	City, state, and ZIP code							
	7	List account number(s) here (optional)							
Par	tl	Taxpayer Identification Number (TIN)							
Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid Social security number									
backu	p w	ithholding. For individuals, this is generally your social security number (SSN). However, for a							

resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a TIN</i> , later.							-			
				entif	ficati	ion n	umb	er		
<b>Note:</b> If the account is in more than one name, see the instructions for line 1. See also <i>What Name and Number To Give the Requester</i> for guidelines on whose number to enter.			-							
Part II Certification										

Under penalties of perjury, I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- 2. I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- 3. I am a U.S. citizen or other U.S. person (defined below); and
- 4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person	Date	

#### **General Instructions**

Section references are to the Internal Revenue Code unless otherwise noted.

**Future developments.** For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to *www.irs.gov/FormW9*.

#### What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification. New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

#### **Purpose of Form**

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they

### NAVAJO NATION CERTIFICATION Regarding Debarment, Suspension, and Contracting Eligibility

- 1. Applicant entity acknowledges that to the best of its knowledge that the Applicant entity, either in its present form or in any identifiable capacity, has not, in accordance with 12 N.N.C. § 361:
  - A. Been convicted of the commission of criminal offenses incident to obtaining or attempting to obtain a public or private contract or subcontract, or in the performance of any such contract or subcontract;
  - B. Been convicted of embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, or other offenses indicating a lack of business integrity or honesty, which currently, seriously, and directly affect responsibility as a Navajo Nation contractor;
  - C. Been convicted under antitrust statutes arising out of the submission of bids or proposals;
  - D. Violated contract provisions, including:
    - i. Deliberate failure, without good cause, to perform in accordance with the contract specifications or within the time limit provided in the contract,
    - ii. A recent record of failure to perform or of unsatisfactory performance with the terms of any contract, or
  - Any other cause so serious and compelling as to affect responsibility as a Navajo Nation contractor, including debarment by another governmental entity.
- 2. Applicant acknowledges that if the Navajo Nation determines that the executed Certification provided herein is untrue or not wholly accurate, it shall be grounds for the Navajo Nation to terminate the contract and pursue other legal remedies, at the Navajo Nation's discretion.
- 3. Applicant certifies to the best of its knowledge that it is eligible to do business with the

Navajo Nation, in its present form or in any other identifiable capacity, pursuant to 12 N.N.C. § 1501 and 5 N.N.C. § 301. Applicant also acknowledges that per 12 N.N.C. § 1505, it will not be eligible to contract with the Navajo Nation if deemed ineligible by the appropriate department or entity of the Navajo Nation which receives the Applicant's request for consideration for a business opportunity.

Applicant Name	Name of individual signing on Applicant's behalf (print)
Applicant Address	Title of individual signing on Applicant's behalf
Applicant Address	Signature of individual signing on Applicant's behalf
Applicant Address	Date